INDEX TO VOLUME 34

New names and combinations and the pages of publication are printed in **boldface**.

Abbevillea 220
Abies: *concolor* 71–73, 75; *magnifica* 71, 74, 75
Abuta grandifolia 245, 249
Abutilon 250; *aristulosum* 250
Acacia 88, 114, 180, *farnesiana* 241, 244, 249; *paniculata* 243, 249; *pectinata* 349
Acanthaceae 170–176, 177–180, 251, 375, 424–434; Justiceae 170
Acantholoma 2
Acer 81–84; subg. *Sphendamnus* 81; sect. *Acer* 81, 83; sect. *Arguta* 82, 83; sect. *Hyptiocarpa* 83; sect. *Integrifolia* 81, 83, 84; sect. *Macrantha* 82; sect. *Macrophylla* 81, 82; sect. *Microcarpa* 83; sect. **Oblonga** 81, **83**, 84; sect. *Palmata* 81, 83; sect. *Parviflora* 81–83; sect. *Spicata* 81–83; subsect. *Oblonga* 83; ser. *Acer* 81, 83; ser. *Caudata* 81–83; ser. *Distyla* 82, 83; ser. *Macrophylla* 81, 82; ser. *Oblonga* 84; ser. *Parviflora* 82; ser. *Spicata* 81–83; ser. *Trifida* 83, 84; ser. *Trinervia* 83; ser. *Ukurunduensia* 82, 83; *acuminata* 82, 83; *buergerianum* 83; *caesinum* 83; *campbellii* 83; *caudatum* 82, 83; *distylum* 82; *laevigatum* 83; *macrophyllum* 64, 81, 82; *nipponicum* 82, 83; *oblongum* 83; *papilio* 83; *parviflorum* 83; *paxii* 83; *pectinatum* 82; *pseudoplatanus* 82; *spicatum* 81–83; *sycopseoides* 83; *ukurunduense* 82, 83
Aceraceae 81–84
Acisanthera limnobios 250
Acosmium 240; *cardenasii* 243, 249; *subelegans* 249
Acrandra 220
Acrocomia 240; *eriocantha* 475; *microcarpa* 475; *sclerocarpa* 248; *wallaceana* 475
Acrostichum 322
Adiantum deflectens 248
Aeschynomene: *fluminensis* 244, 249; *sensitiva* 244, 249
Agastache 123
Agave 180
Agrostis 481
Aiphanes ernesti 475
Aizoaceae 326
Alabama: *Sagittaria* 12–17
Albizzia hassleri 243, 249
Alismataceae 12–17; 248
Allagoptera leucocalyx 248
Amaranthaceae 249
Amaranthus caudatus 249
Amazônia: map 467, Palms 463–477
Amburana cearensis 249
Amelanchier alnifolia 74
Anacardiaceae 250
Anacyclus 120, 121
Anadenanthera peregrina 241, 249
ANDERSON, ANTHONY B. See Balick, Anderson & Silva 463–477
ANDERSON, WILLIAM A.—book review of *An Integrated System of Classification of Flowering Plants*, by Arthur Cronquist 268–270
Andes: Musci 435–441; *Tovarochloa* 478–483
Andira: *cuiabensis* 249; *inermis* subsp. *riedelii* 249
Andrade-Lima, Dárdano de—In Memoriam and list of publications 351–354
Andromedeae 121
Andropogon 146–150; *elliottii* 146; *glomeratus* 146, var. *pumilus* 146–150; *gyrans* 146; *longiberbis* 146–150; *virginicus* 146
Anemia 122; 388–413, key 394–397; subg. *Anemia* 388, 389, 391; subg. *Anemiorrhiza* 388, 389, 392; subg. *Coptophyllum* 122, 388, 389, 391; *adiantifolia* 391, 394, 397, 399, 400, 404, 405; *adiantifolia* × *mexicana* 404; *affinis* × *hirsuta* 390, fig. 401, 404; *affinis* × *pastinacaria* 390, 404; *bipinnata* 399; *brandegeea* 394, 398, 399, 403; *buniifolia* 388; *carvifolia* 397; *cicutaria* 391, 394, 399; *ciliatia* 394, 400, 411; *colimensis* 388, 394, 397, 399, 404; *collina* 407; *cornea* 407; ×*didicusana* 408; *donnell-smithii* 408; **familiaris** 388, 395, 397, fig. 398, **399**; *filiformis* 394, 400; *flexuosa* var. ?*anthriscifolia* 411; *fulva* γ *mexicana* 411; *herzogii* 391; *hirsuta* 388–395, fig. 396, 397, 399, 400, fig. 401, 403–406, 408–411, var. *achilleaefolia* 400, var. β *dissecta* 400, var. α *integrifolia* 400; *hirsuta* × *jaliscana* 400, fig. 401, 404; *hirsuta* × *karwinskyana* 389, 390, fig. 401, 404; *hirsuta* × *oblongifolia* 392; *hirsuta* × *pastinacaria* 392; *hirsuta* × *phyllitidis* 392, 408, 411; *hirsuta* × *semihirsuta* 390, fig. 396, fig. 401, 404; *hirsuta* × *tomentosa* 389; *hirta* 391; *hirta* × *phyllitidis* 392; *intermedia* 394, 399, fig. 403; *jaliscana* 389, 390, 392, 393, 395, 397, fig. 398, 400, fig. 401, 403–406, 409, 410; *karwinskyana* 389–394, 400, fig. 401, 404, 406, 412; *laciniata* 411; *lancea* 394; *longistipes* 408; *makrinii* 405, 411; *mandioccana* 391; *media* 411; *mexicana* 392, 397, 405, 409, 411, var. *makrinii* 394, 399, 404, 405, var. *mexicana* 394, 404, 405, var. *paucifolia* 411; **multiplex** 388, 390, 392, 393, 395, fig. 398, fig. 402, 404, **405**, 406, 410; *munchii* 388, 390, 395, fig. 402, 404, 406, 408, 409; *oblongifolia* 388–391, 394, 397, 403, 404, 406, 407, β *humilis* 407; *pallida* 394; ×**paraphyllitidis** 388, 390, 392–394, fig. 396, **407**–409; *pastinacaria* × *phyllitidis* 392; *phyllitidis* 388–395, fig. 396, 400, fig. 402, 404, 406–409, 411; *phyllitidis* × *raddiana* 389; *phyllitidis* × *semihirsuta* fig. 402, 404; *pilosa* α *brevistipes* 407, β *longistipes* 408; *raddiana* 389; *radicans* 391; ×**recondita** 388–391, 395, fig. 398, 400, 403, **409**, 410; *repens* 394; *rosei* 404; *rotundifolia* 391; *seemannii* 407; **semihirsuta** 390, 392, 393, 395, fig. 396, fig. 402, 408–**410**, 411; *simplicior* 391; *speciosa* 391, 394, 411; *tenella*

394; *tenera* 394; *tomentosa* 388, 389, 393, 394, 400, 406, 411, 412, var. *australis* 391, var. *mexicana* 390, fig. 402, 404, 411, 412; *villosa* ξ *karwinskyana* 404; *wettsteinii* 394; *wrightii* 399
Anemidictyon phyllitidis 409
Anemiorrhiza 391, 397, 399
Anisacanthus 170–176, 177–180; *glaberrimus* 427; *insignis* 170–172, var. *insignis* 170, var. *linearis* 170, 171, 175; **linearis** 170, fig. 173, map 174, **175**, 177, fig. 178, 179; **puberulus** 170, **172**, fig. 173, map 174; *pumilus* 171; *quadrifidus* 171, 177; **ramosissimus** 424, **433**; *ruber* 251; *thurberi* 170, 171; *virgularis* 177; *wrightii* 177, var. *brevilobus* 177, fig. 178, 179, var. *wrightii* 177, fig. 178, 179
Aniseia 418
Annonaceae 249, 265
Annonales 252, 265
Anthochloa lepidula 478
Apiaceae 365–367; Apioideae 365; Ammieae 365; Apieae 365; Peucedaneae 365
Apocynaceae 251
Arabis 299
Araceae 248
Araucaria 214
Arberella costaricensis 33
Arbutus menziesii 67, 73
Archilejeunea 294; *pabstii* 294–298
Arctostaphylos: *nevadensis* 64, 69, 74, 75; *patula* 61, 64, 65, 69, 75; *pungens* 382; *pubescens* 65
Arecaceae 248
Arenaria: *capillaris* 75; *congesta* 74; *howellii* 74; *kingii* 71
Aristolochia burro 248
Aristolochiaceae 248
Arkansas: *Cardamine* 376–380
Arrabidaea: *candicans* 251; *fagoides* 251; *pubescens* 251; *triplinervia* 251
Artemisia 153; *tridentata* 334
Arundinaria 33; *amabilis* 30, 31, fig. 32; *simonii* 33
Asclepiadaceae 251
Aspidosperma: *polyneuron* 243; *pyrifolium* 241, 245, 251; *ulei* 243, 251
Aspidotis densa 61, 64, 65, 75
Asplenium 388
Aster 273–281; sect. *Biotia* 273–281; *agrostifolius* 277, 281; *alleghaniensis* 279; *ambiguus* 276, 277; *amnicola* 279; *ampliatus* 279; *arcifolius* 276, 279; *arcuatus* 276, 279; *ardens* 279; *arenicola* 281; *argillarius* 275, 281; *asperifolius* 278; *atrovirens* 281; *aucuparius* 279; *biformis* 276, 279; *boykinii* 278; *camptilis* 279; *capillaceus* 281; *capillaris* 281; *carmesinus* 281; *castaneus* 276, 279, *chlorolepis* 276, 278, *circularis* 279; *claviger* 276, 279; *claytoni* 281; *claytoni crispicans* 281; *conduplicatus* 278; *cordifolius alvearius* 276, 279; *cordifolius pedicellatus* 276, 279; *corrigiatus* 281; *curvescens* 275, 279; *curvescens oviformis* 281; *curvescens umbelliformis* 281; *decaphyllus* 279; *densatus* 279; *divaricatus alatus* 281; *divaricatus curtifolius* 275, 281; *divaricatus cymulosus* 279; *divaricatus deltoideus* 275, 281; *divaricatus fontinalis* 281; *divaricatus persaliens* 280; *ebeneus* 281; *erectus* 281; *ericoides parviceps* 281; *eriensis* 279; *exacutus* 279; *excavatus* 276, 278; *excelsior* 281; *falcidens* 281; *ferox* 281; *fimbriatus* 279; *flexilis* 276, 278; *fragrans* 281; *furcatus* 279; *glomeratus* 277; *glutinosus* 277; *gracilescens* 281; *granulosus* 275, 279; *gravesii* 278; *gremialis* 279; *ianthinus* 275, 279; *iostemma* 280; *julianus* 280; *juniperinus* 281; *jussiei* 277; *laevis potomacensis* 281; *limnicola* 280; *lindleyanus eximius* 281; *linguiformis* 281; *listriformis* 280; *loriformis* 281; *macrophyllus apricensis* 280; *macrophyllus excelsior* 281; *macrophyllus pinguifolius* 281; *macrophyllus sejunctus* 280; *macrophyllus velutinus* 280; *masardiensis* 280; *mohrii* 278; *mollescens* 280; *multiformis* 275, 280; *nobilis* 280; *novi-belgii atlanticus* 276, 280; *novi-belgii brittonii* 276, 280, *olivaceus* 280; *orbicularis* 280; *oviformis* 281; *paniculatus acutidens* 281; *parthianus* 275, 280; *persaliens* 280; *poaceus* 281; *quadratus* 275, 278; *quiescens* 281; *rectifolius* 280; *riciniatus* 276, 278; *roscidus* 280; *rupicola* 281; *sabulosus* 281; *sagittifolius dissitiflorus* 276, 280; *saundersii* 278; *schreberi* 277; *scutiformis* 281; *securiformis* 281; *sextilis* 280; *shortii* 375; *sociabilis* 281; *spatelliformis* 278; *stilettiformis* 276, 281; *subcymosus* 276, 277; *subinteger* 276, 277, 280; *subsessilis* 280; *sylvestris* 281; *sylvicola* 280; *sympodialis* 275, 281; *tenebrosus* 280; *triangularis* 280; *trigonicus* 279; *ulmarius* 280; *umbelliformis* 281; *undulatus abruptifolius* 276, 281; *undulatus loriformis* 281; *undulatus torquatus* 281; *undulatus triangularis* 280; *uniformis* 281; *ursinus* 279; *vernalis* 281; *violaris* 281; *virgularis* 281; *viridis* 276, 277, 281; *vittatus* 281
Asteraceae 102–117, 119–123, 210–219, 251, 273–281, 282–284, 285–289, 290–293, 375, 384–387; Anthemidae 120, 121; Astereae 122, 285–289; Cichorieae 122; Helenieae 123; Heliantheae 119, 121, 122, 384–387; Lactuceae 290–293; Mutisieae 119; Vernoniae 102–117, 210; Nassauviinae 119; Scorzonerinae 293
Astragalus sect. *Micranthi* 79; sect. *Strigulosi* 78–80; **cenorrhynchus 78–80**, fig. 79; *hypoleucus* 79; *oxyrrhynchus* 78, 79
Astranthium 285, 287, 288; *orthopodum* 287; *purpurascens* fig. 288
Astrocaryum 231, 469; *acaule* 475; *aculeatum* 475; *caudescens* 475; *chambira* 475; *giganteum* 475; *gynacanthum* 475; *horridum* 475; *huebneri* 475; *jauari* 464, 473, 475; *javarense* 475; *macrocarpum* 475; *manaoense* 475; *munbaca* 475; *murumuru* 464, 475; *paramaca* 475; *rodriguessii* 475; *sciophilum* 475; *tucuma* 464, 475; *ulei* 475; *vulgare* 464, 475; *yauaperyense* 475
Astronium: *fraxinifolium* 243, 250; *lecointei* 240, 250

Atlas of foliar surface features in woody plants,

V. *Fraxinus* (Oleaceae) of eastern North America, by James W. Hardin & Robert L. Beckmann 129–140
Atriplex 153
Attalea 240, 243, 248, 465; *ferruginea* 475
Audibertia 152, 153; *dorrii* 152, 153, 160; *incana* 152, 161, 162, var. *pachystachya* 152, 166, 168, var. *pilosa* 152, 164; *mearnsii* 165; *pachystachya* 166; *polystachya* 153
Audibertiella 152, 153; *argentea* 152, 153, 160; *dorrii* 160; *incana* 161
Aulacomniaceae 1, 2
Aulacomnium 1; sect. *Leptotheca* 1, 2; *palustre* 1
Austinia 415; *tenuinervis* 416
Avena 118
Azolla 231, 248
Bacopa dubia 251; *reptans* 251
Bactris acanthocarpoides 475; *acanthospatha* 475; *actinoneura* 475; *amoena* 475; *angustifolia* 475; *aristata* 475; *armata* 475; *arundinacea* 475; *atrox* 475; *balanophora* 475; *bella* 475; *bicuspidata* 475; *bidentula* 475; *bifida* 475; *bijugata* 475; *campestris* 475; *capillacea* 475; *capinensis* 475; *chaetochlamys* 475; *chaetospatha* 475; *chloracantha* 475; *chlorocarpa* 475; *concinna* 475; *constanciae* 475; *curuena* 475; *cuspidata* 475; *dahlgreniana* 475; *elatior* 475; *elegans* 475; *ericetina* 475; *erostrata* 475; *eumorpha* 475; *exaltata* 475; *fissifrons* 475; *floccosa* 475; *formosa* 475; *gasipaes* 464, 475; *gastoniana* 475; *gaviona* 475, *geonomoides* 475; *glaucescens* 248; *gracilis* 475; *granariuscarpa* 475; *hirta* 475; *hoppii* 475; *huebneri* 475; *humilis* 475; *hylophila* 475; *incommoda* 475; *inermis* 475; *integrifolia* 475; *interruptepinnata* 475; *juruensis* 475; *kuhlmannii* 475; *lakoi* 475; *lanceolata* 475; *leptospadix* 475; *littoralis* 475; *longifrons* 475; *longipes* 475; *macrocantha* 475; *macrocarpa* 475; *major* 475; *maraja* 475; *maraja-acu* 475; *megistocarpa* 475; *microcalyx* 475; *microcarpa* 475; *microspadix* 475; *mitis* 475; *monticola* 475; *multiramosa* 475; *nemorosa* 475; *oligocarpa* 476; *ottostapfeana* 476; *paucijuga* 476, *pectinata* 476; *penicillata* 476; *piranga* 476; *platyacantha* 476; *platyspina* 476; *pulchella* 476; *pulchra* 476; *riparia* 476; *simplex* 476; *simplicifrons* 476; *socialis* 476; *sphaerocarpa* 476; *syagroides* 476; *sylvatica* 476; *tomentosa* 476; *trailiana* 476; *turbinata* 476; *turbinocarpa* 476; *umbraticola* 476; *umbrosa* 476; *unaensis* 476; *vexans* 476
Balanopaceae 252, 262, 263, 264, 265
Balanophoraceae 248
BALICK, MICHAEL J.—book review of *Marijuana Botany*, by R. C. Clarke 140
———.—book review of *Oil Palm Diseases and Disorders*, by P. D. Turner 364
———, ANTHONY B. ANDERSON & MARLENE FREITAS DA SILVA, Palm taxonomy in Brazilian Amazônia: The state of systematic collections in regional herbaria 463–477
Bamboos 30–35
Bambusa 33, 34; subg. *Guadua* 34; *oldhamii* 33; *stenostachya* 33
Bambusoideae 30–35
Baptisia: *lecontii* 375; *megacarpa* 375
Barcella odora 476
BARNEBY, RUPERT C., Dragma Hippomanicum VIII. A new species of *Astragalus* section *Strigulosi* (Leguminosae) from Oaxaca 78–80
Barrattia 369
Bauhinia bauhinioides 244, 249; *forficata* var. *platypetala* 249; *ungulata* 249
BAUM, VICKI M., New species and combinations in *Odontonema* (Acanthaceae) 424–434
BECKMANN, ROBERT L. See Hardin & Beckmann 129–140
Beeches 121
Begonia 189–198; sect. *Gireoudia* 189, 190, 197; sect. *Weilbachia* 192; **buseyi 189**, fig. 190, 191, 192; **croatii** 189, **196**, fig. 197, 198; **dressleri** 189, 190, fig. 191, **191**, 192; **louis-williamsii** 189, **194**, fig. 195, 196; **morii** 189, 190, **192**, fig. 193, 194; *quaternata* 196, 197, 198; *stigmosa* 196; *strigillosa* 194, 196; *urophylla* 196, 197
Begoniaceae 189
Beloperone hassleri 251
Berberidaceae 122
BERG, C. C. & F. KOOY, Three new species of *Pourouma* (Cecropiaceae) of the Guiana Region 36–41
Bibliography of botanical cladistics: I. 1981, by Vicki A. Funk & Warren H. Wagner, Jr. 118–124
Bidens pilosa 147, 251
Bignoniaceae 251
Biota glomerata 277
BODKIN, NORLYN L. & JAMES L. REVEAL, A new variety of *Trillium pusillum* (Liliaceae) from the Virginias 141–143
Bomarea 248
Bombacaceae 250
Bombus 338
Boraginaceae 123, 251; Ehretioideae 123
Boreria capitata 251
Bowdichia virgilioides 237, 240, 246, 249
Brachymenium ovatum 5; *speciosum* 10; *wrightii* 10
BRAKO, LOIS—book review of *Lichens of the Ottawa Region*. Syllogeus No. 29, by Irwin M. Brodo 413
Brassicaceae 118, 299, 376–380
Brazil: map of Amazônia 467; Palms 463–477; Pantanal vegetation 228–251; *Piptocarpha* 210–218; *Thrasya* 458–462
Brexia 264
Brexiaceae 261
Britoa 220
Bromelia 248
Bromeliaceae 248
Bruchiaceae 435
Bruniaceae 252, 262, 263, 264
Bryales 2
Bryoacantholoma 2; *vaginatum* 2
Bryophyta 122

Bryum 2
Buceragenia **foliaceo-bracteata** 424, **433**
Buchenavia: *capitata* 250; *tomentosa* 240, 243, 246, 250
BUCK, WILLIAM R., *Nematocladia tesserata* genus et species novae (Myriniaceae) 414–416
———. See Churchill & Buck 1–11
Buddleja 180
Bulbostylis junciformis 245, 248
Bulnesia 119; *sarmientoi* 245, 249
Bumelia obtusifolium 243, 250
Burgess, Edward S. 273–281
BURMAN, ALASDAIR G. Three new species of *Thrasya* (Gramineae) from Brazil 458–462
BURT-UTLEY, KATHLEEN, New species in *Begonia* section *Gireoudia* (Begoniaceae) from Central America 189–198
BUT, PAUL P.-H. See Macfarlane & But 478–481
Buxaceae 252, 257, 261, 262, 263, 265
Byblidaceae 252, 261, 262, 263, 264
Byrsonima: *coccolobifolia* 240; 249; *cydoniifolia* 249
Cacalia: *argentea* 114; *argyrophylla* 113; *asteriflora* 110; *buddleiaefolia* 103; *chamaepeuce* 116; *coriacea* 104; *farinosa* 111; *floccosa* 106; *kuntzei* 110; *lacunosa* 106; *ligulifolia* 104; *macrocephala* 113; *mollissima* 111; *monocephala* 109; *secunda* 104; *venosissima* 116; *warmingiana* 107
Cactaceae 250, 482
Caesalpinia floribunda 243, 249
Caesalpinioideae 249
Calathea 18–24, key 21; ser. *Nudiscapae* 22, 24; ser. *Rhizanthae* 22, 24; *allouia* key 21; *bachemiana* 24; *bella* 24; *fasciata* 22–24, fig. 23; *grandiflora* 24; *lancifolia* 24; *lucianii* 18; *musaica* 24; *nitens* 24; **orbifolia 22**–24, fig. 23; *rotundifolia* 22–24, fig. 23; **schunkei 18**–21, fig. 19, key 21; *taeniosa* 24; *timothei* 18, 20; *vaginata* 22, 24
Calocedrus decurrens 64–66, 69, 72, 75
Calliandra parviflora 246, 249
Callisthene fasciculata 240, 249
Calycanthaceae 265
Calycolpus 223
Calycophyllum multiflorum 245, 251
Calyptranthes paniculata 250
Campanulaceae 375
CAMPBELL, CHRISTOPHER S.—book review of *Grasses and Grasslands. Systematics and Ecology*, by J. R. Estes et al., editors 218–219
———, Hybridization between *Andropogon glomeratus* var. *pumilis* and *A. longiberbis* (Gramineae) in central Florida 146–150
Campomanesia 220–224; *guaviroba* 221, fig. 222; *guazumaefolia* 221, fig. 222; *hirsuta* 221
Canna glauca 248
Cannabis 140
Cannaceae 248
Caperonia castaneaefolia 250
Capparaceae: See Capparidaceae
Capparidaceae 121, 249
Capparis mattogrossensis 249
Cardamine 376; subg. *Dentaria* 376, 379; subg. *Cardamine* 376; *angustata* 376, 379, var. *angustata* 376, 377, fig. 378, 379, var. *multifida* 376, var. **ouachitana** 376–380, fig. 380, **379**, *diphylla* 376, 377; *laciniata* 376, 377, 379
Cardiospermum halicacabum 250
Carex: *aristata* 374; *caroliniana* 374; *costata* 374; *deweyana* 374; *exserta* 71; *grayana* 374; *marginata* 374; *miser* 374; *nigro-marginata* 374; *pensylvanica* var. *nebulosa* 375; *setacea* 375; *styloflexa* 375; *vesicaria* var. β *brachystachya* 375, var. β *gracilis* 375; *virescens* var. *minima* 375
Carlowrightia 180
CARLQUIST, SHERWIN, Wood anatomy of Daphniphyllaceae: ecological and phylogenetic considerations, review of Pittosporalean families 252–266
Carphobolus 211
Carpinus 185
Carpodetus 264
Carpolithus: *marylandicus* 301, 312, var. *rugosus* 312, 314
Caryocar brasiliensis 237, 239, 240, 242, 246, 250
Caryocaraceae 250
Casearia aculeata 244, 250
Cassia grandis 243, 249
Castilleja 89, 99, 100; *pilosa* 71, 72
Catoblastus drudei 476
Cavendishia 122
Ceanothus: *cuneatus* 64, 66; *prostratus* 69; *pumilis* 64
Cecropia 230, 237, 248, 336
Cecropiaceae 36–41
Ceiba: *pentandra* 244, 250; *samauma* 250; *subbiflora* 245
Celastraceae 265, 326
Celastrales 265
Celtis 180
Cenchrus 119, 248
Central America: *Begonia* 189–198
Centrantherum punctatum 251
Cephalostachyum 33
Ceratopteris 230; *pteridoides* 242, 248
Ceratozamia 181–184, 185–188; *kuesteriana* 185–188, figs. 186, 187; *matudai* 187; **norstogii 181**–184, figs. 182, 183, 184; *zaragozae* 181, 182, 185, 187
Cercidiphyllaceae 262, 265
Cercocarpus: *betuloides* 74; *ledifolius* 74
Cereus 237, 244; *bonplandii* 244, 245, 250; *peruvianus* 231, 244, 250
Chamaecrista rotundifolia 244, 249
Chamaedorea: *depauperata* 476; *integrifolia* 476; *pauciflora* 476
Cheilanthes gracillima 66, 72, 74, 75
Cheilolejeunea 294; *intertexta* 294, 295; *pyriflora* 295
Cheiranthera 264
Chelyocarpus: *chuco* 476; *ulei* 476
Chenopodium 122
Chihuahuan Desert: *Anisacanthus* 170–176, 177–180
Chimonobambusa 33

Chloris petraea 147
Chlorophora tinctoria 244, 248
Chomelia obtusa 251
Chromosome counts: *Anemia* 390–391; *Coreopsis* 384–387
Chromosome numbers and taxonomic notes for Mexican *Coreopsis* sections *Electra* and *Pseudoagarista* (Compositae: Heliantheae), by Daniel J. Crawford 384–387
Chromosome numbers of *Orthocarpus* and related monotypic genera (Scrophulariaceae: subtribe Castillejinae), by Tsan Iang Chuang & Lawrence R. Heckard 89–101
Chromosome studies on the Bambusoideae (Gramineae), by Juan H. Hunziker, Arturo F. Wulff & Thomas R. Soderstrom 30–33
Chrysobalanaceae 249
CHUANG, TSAN IANG & LAWRENCE R. HECKARD, Chromosome numbers of *Orthocarpus* and related monotypic genera (Scrophulariaceae: subtribe Castillejinae) 89–101
CHURCHILL, STEVEN P. & WILLIAM R. BUCK, A taxonomic investigation of *Leptotheca* (Rhizogoniaceae) 1–11
Chusquea 33, 34; *bambusoides* 30, 31; *culeou* 31; *cumingii* 31; *lehmanii* 31; *longifolia* 31; *quila* 31; *scabra* 31; *scandens* 31; *tonduzii* 31
Cinchona 440
Cipura paludosa 248
Cissus: *hassleranus* 244, 250; *sicyoides* 250
Citharexylum 251
Cladistics, botanical 118–124
CLEMANTS, STEVEN E.—book review of *A Natural History of New York City*, by John Kieran 477
Clematis 121; subsect. *Integrifoliae* 121
Cleome 121; sect. *Physostemon* 121
Clethra 185
Clevelandia 89, 100; *beldingii* 89, fig. 93, 94
Coca 446
Coccoloba 244; *cujabensis* 243, 246, 248
Coldenia 123
Colombia: Musci 435–441
Colossoma macropomum 473
Combretaceae 250
Combretum 240, 250; *lanceolatum* 245, 250; *leprosum* 243, 250
Commelina nudiflora 242, 248
Commelinaceae 248
Compositae: See Asteraceae
Connecticut: Wesleyan University Herbarium 368–375
Convolvulaceae 122, 251, 336–338, 417–423; Convolvuleae 418; Cresseae 418
Convolvulus pilosiflorus 420
Copaifera: *chodatiana* 241; *cordifolia* 243, 249
Copernica australis 248; *prunifera* 476
Coptophyllum 339; *cicutarium* 399
Cordia 180; *alliodora* 244, 251; *glabrata* 240, 245, 251; *insignis* 251
Cordylanthus 89, 100
Coreopsis 384–387; sect. *Electra* 384, 385; sect. *Pseudoagarista* 384, 385, 386; *cuneifolia* 384, 385; *mcvaughii* 384, 385, 386; *mutica* 384, 385; *parvifolia* 384, 385; *petrophila* 384, 386, 387; *pringlei* 384, 385; *rhyacophila* 385; *rudis* 384, 385, 386
Cotyledon: *brittoniana* 63; *burnhamii* 70; *glandulifera* 67; *mendocinoana* 65; *obtusata* 70; *oregonensis* 75; *retusa* 73; *yosemitensis* 70
Couepia uiti 244, 249
Coutarea hexandra 245, 251
Cracca: *corallicola* 341; *curtissii* 341; *floridana* 340, 341; *intermedia* 340; *smallii* 340
Crassulaceae 48–77; Cotyledonoideae 48; Crassuloideae 48; Echeverioideae 48; Kalanchoideae 48; Sedoideae 48; Sempervivoideae 48
CRAWFORD, DANIEL J., Chromosome numbers and taxonomic notes for Mexican *Coreopsis* sections *Electra* and *Pseudoagarista* (Compositae: Heliantheae) 384–387
CRONQUIST, ARTHUR—book review of *The Monocotyledons. A comparative study*, by R. M. T. Dahlgren & H. T. Clifford 267–268
———.—book review of *Plant Speciation*, Second Editon, by Verne Grant 363
———, Map of the floristic provinces of North America 144–145
———, Reduction of *Pseudotaenidia* to *Taenidia* (Apiaceae) 365–367
Crotalaria 342–345; *angustifolia* 342; *foliosa* 342–345, var. *angustifolia* 343, 344, var. *oblonga* 343, 344, var. *α obovata* 343, 344; *martiana* 342, key 343, 344; **mohlenbrockii** key 343, **344**; *oblonga* 342; *obovata* 342; **paraguayensis** 342, **343**, key 343, 345
Croton: *ferrugineus* 250; *glandulosus* 244, 250
Cruciferae: See Brassicaceae
Crusea 120
Cryptochloa 25–29, key 199, 199–203; capillata key 199, 202, 203, fig. 204, 209; *concinna* key 199; dressleri 25–29, fig. 26, 30, 31, key 199, 202; *granulifera* key 199, 203; *strictiflora* key 199, 202, 203; unispiculata key 199, 200, fig. 201, 203; *variana* key 199, 202
Cryptochloa dressleri (Poaceae), a new bambusoid grass from Panama, by Thomas R. Soderstrom 25–29
Cryptogramma crispa 72, 75
Cryptopodium 2, key 2
Cunonia 265
Cupania castaneaefolia 243, 250
Cuphea speciosa 250
Curatella americana 237, 240, 246, 250
Curcuma longa 248
Cuscuta 417
Cycadales 123
Cynodon dactylon 248
Cyperaceae 248, 370, 373, 374
Cyperus 375; *exculenta* 245, 248; *giganteus* 230, 242, 248; *haspan* 242, 248; *luzulae* 248; *surinamensis* 248
Cystopteris 118, 388
Cytisus 299
Cytological basis for the separation of *Geropogon* from *Tragopogon* (Compositae: Lactuceae), by F. Douglas Wilson 290–293
Dalbergia 243
Dalechampia scandens 250
DANIEL, THOMAS F. & JAMES HENRICKSON, On

the recognition of *Anisacanthus junceus* (Acanthaceae) 177–180
Daphniphyllaceae 252–266
Daphniphyllineae 265
Daphniphyllum 252–266; *glaucescens* subsp. *borneense* 253, 254, 255, 257, subsp. *buchanifolium* 253, 254, 255, subsp. *glaucescens* 257, subsp. *oldhamii* 253, 254, 255, subsp. *scortechinii* 253, 254, 255, fig. 256, subsp. *teijsmannii* 253, 254, 255, fig. 258; 259; *gracile* 253, 254, 255, 257, fig. 260; *himalayense* 257, subsp. *himalayense* 253, 254, 255, 259, fig. 260, 264, subsp. *macropodum* 253, 254, 255, 257, 259, fig. 260
Davilla elliptica 250
Degeneriaceae 265
De Jong, Diederik C. D. & Guy L. Nesom, *Erigeron astranthioides* (Asteraceae: Astereae), a new epappose species from western Mexico 285–289
Delendick, Thomas J., Infrageneric nomenclature in *Acer* (Aceraceae) 81–84
De Luca, Paolo, Sergio Sabato & Mario Vázquez Torres, Distribution and variation of *Dion edule* (Zamiaceae) 355–362
Dendrocalamus 33
Dendropanax 185
Dentaria 376; *diphylla* 376; *laciniata* 376
Denton, Melinda F., Revision of *Sedum* section *Gormania* (Crassulaceae) 48–77
Desmodium: *discolor* 249; *sclerophyllum* 249
Desmoncus: *brevisectus* 476; *leptospadix* 476; *macroacanthos* 476; *macrodon* 476; *mitis* 476; *nemorosus* 476; *oligacanthus* 476; *orthacanthos* 476; *philippianus* 476; *phoenicocarpus* 476; *polyacanthos* 476; *pumilus* 476; *riparius* 476; *setosus* 476; *tenerrimus* 476
Development of the fruits and seeds of *Campomanesia* (Myrtaceae) by Leslie R. Landrum 220–224
Diadelphus 226
Dicentra 123
Diellia 123
Dilleniaceae 250
Dilleniidae 329
Dion: *aculeatum* 355, 360; *angustifolium* 355, 356, 360; *edule* 355–362, var. *angustifolium* 355, map 356, 357, fig. 359, 360, var. *edule* 355, map 356, 357, figs. 358 & 360, var. *imbricatum* 358, var. *lanuginosum* 356, 358, 359, β *latipinna* 355, f. *lanuginosum* 356; *imbricatum* 355, 356, 358; *strobilaceum* 355, 359; *strobilosum* 355, 358, 359
Dioon 355
Dioscorea 248
Dioscoriaceae 248
Diospyros 250
Dipteryx alata 249
Diptychandra glabra 239, 240, 246, 249
Discolobium pulchellum 249
Distribution and variation of *Dion edule* (Zamiaceae), by Paolo De Luca, Sergio Sabato & Mario Vázquez Torres 355–362
Distribution maps: *Anisacanthus linearis* 174; *Anisacanthus puberulus* 174; Brazilian Amazônia 467; *Dion edule* var. *edule* 356, var. *angustifolium* 356; *Erythroxylum* 454; Floristic provinces of North America 145; *Leptotheca*: *boliviana* 8, *gaudichaudii* 9; Nanjemoy Formation localities 302; *Odonellia* 422; *Palaeowetherellia* 324; Pantanal of Mato Grosso 229; *Penstemon ammophilus* 383; *Salvia dorrii* 158; *Sedum* sect. *Gormania* 61; *Solanum citrinum* 87; Vegetation Types Acurizal Ranch, Mato Grosso 233; *Vernonia*: *argentea* 112, *argyrophylla* 115, *asteriflora* 112, *buddleiifolia* 105, *chamaepeuces* 108, *coriacea* 105, *farinosa* 105, *floccosa* 108, *goiasensis* 105, *lacunosa* 108, *lorentzii* 115, *macrocephala* 112, *mollissima* 112 & 115, *monocephala* 112, *secunda* 105, *venosissima* 115, *warmingiana* 108, *wasshausenii* 108, *Wetherellia* 324
Distylium 264
Dorn, Robert D., A new species of *Penstemon* (Scrophulariaceae) from Wyoming 334–335
Dragma Hippomanicum VIII. A new species of *Astragalus* section *Strigulosi* (Leguminosae) from Oaxaca, by Rupert C. Barneby 78–80
Drejera 177; *juncea* 177, 178; *puberula* 170, 171, 172
Droseraceae 249
Dryopteris 388
Dudleya 48, 49
Duguetia furfuracea 249
Ebenaceae 250
Echeveria: *brittonii* 70; *gormania* 63; *obtusata* 70
Echinocactus 250
Echinodorus 230; *paniculatus* 242, 248, *tenellus* 248
Ecuador: Musci 435–441
Eichhornia 234, 238, 242, 246; *azurea* 230, 248; *crassipes* 230, 241, 242, 244, 248; *heterosperma* 248; *paniculata* 248
Eidolon helvum 227
Elaeis: *oleifera* 464, 476; *guineensis* 464
Eleocharis 242, 248; *elegans* 248
Elodea 230
Elymus 219
Enterolobium contortisiliquum 240, 243, 245, 249
Entodontaceae 119
Eobruchia: *bruchioides* 435, 436; **ecuatoriana 435**, 436
Eocene 300–333
Epacridaceae 326
Epilobium minutum 73
Equisetum 121, 393; subg. *Hippochaete* 121
Eragrostis: *glomerata* 248; *tennella* 248
Eranthemum cuspidatum 433
Ericaceae 121, 123; Andromedeae 121
Erigeron 285–289; sect. *Peregrinus* 288; **astranthioides 285**–289, figs. 286 & 288; *coronarius* 287; *flagellaris* 287; *forreri* 285, 287, 288; *fraternus* 287, 288; *galeottii* 288; *gilensis* 287; *griseus* 287; *guatemalensis* 288; *mimus* 285, 288, 289; *polycephalus* 287; *seemannii* 287; *strigulosus* 288
Erigeron astranthioides (Asteraceae: Astereae),

a new epappose species from western Mexico, by Diedrick C. D. De Jong & Guy L. Nesom 285–289
Eriocaulaceae 248
Eriogonum: *alatum* 381; *compositum* 66; *incanum* 71; *nudum* 67, *umbellatum* 74; *ursinum* 72
Eriophyllum lanatum 61
Erysimum 299
Erythroxylaceae 249, 442
Erythroxylum: 442–457; sect. *Archerythroxylum* 446, 451, 453, 456; sect. *Rhabdophyllum* 442, 446; *brevipes* 454; *impressum* 446; *laetevirens* 443, 446, 447; *macrochaetum* 446; *novogranatense* 446; *schomburgkii* 447, 451, 452; *spinescens* 454, 456; **steyermarkii 442**, fig. 443, 444–447; *suberosum* 249; *tortuosum* 249; **undulatum** 442, 444, **446**, figs. 448–450, 451, 452, 454, 456; **williamsii** 442, figs. 452 & **453**, 456
Escalloniaceae 261
Esenbeckia 249
Eugenia 221, 243, 250
Eupatorium: *betonicaeforme* 251; *candolleanum* 251; *fistulosum* 375; *laevigatum* 251; *maculatum* var. *urticifolium* 375; *purpureum* 369
Euphorbia 121; sect. *Tithymalopsis* 121; *hirtella* 250
Euphorbiaceae 250, 263, 265, 300–333; Hippomaneae 300, 311, 325
Euphorbiales 261, 265
Eupteleaceae 262, 265
Eurybia: *glomerata* 277; *jussiei* 277
Euterpe 473; *catinga* 466, 476; *controversa* 476; *jatapuensis* 476; *longibracteata* 476; *oleracea* 464, 476; *precatoria* 476; *roraimae* 476
Evolvulus ptergophyllus 251
Eysenhardtia 180
Fabaceae 375
Fabronia 414–416
Fabroniaceae 414; Fabroniae 416
Fagaceae 121
Faramea sessilifolia 251
Ferns 118, 119, 122–124
Festuca octoflora 67
FEUER, SYLVIA. See Kuijt & Feuer 42–47
Ficus 244, 248; *gardneriana* 248; *gomelleira* 248
Filicales 122
Flacourtiaceae 250
Florida: *Andropogon* 146–150
Flourensia 180
Foliar surfaces, SEM 129–140
Fouquieria 180
Four new species of Musci from the Andes of Ecuador and Colombia, by William Campbell Steere 435–441
Fraxinus 129–140; sect. *Fraxinus*; subsect. *Melioides* 129, 130; subsect. *Fraxinus* 129, 130; *americana* 129–131, figs. 132 & 133, 137, 139, subsp. *texensis* 136, var. *texensis* 136; *americana* × *pennsylvanica* fig. 135, 136, 138; *biltmoreana* 129, 131, 136; *caroliniana* 129, 130, fig. 134, 136, 137; *catawbiensis* 129, 131, 136; *darlingtonii* 129, 137; *michauxii* 138; *nigra* 129, fig. 137, 138; *pauciflora* 129, 136, 137; *pennsylvanica* 129, 130, figs. 134 & 135, 136–139, var. *subintegerrima* 129, 137; *profunda* 129, 130, fig. 135, 138; *quadrangulata* 129, 130, fig. 137, 138; *smallii* 129, 137; *texensis* 129, 130, fig. 134, 136; *tomentosa* 138
Fruits of *Wetherellia* and *Palaeowetherellia* (?Euphorbiaceae) from Eocene sediments in Virginia and Maryland, by Susan J. Mazer & Bruce H. Tiffney 300–333
Fumariaceae 123
FUNK, VICKI A. & WARREN H. WAGNER, JR., A bibliography of botanical cladistics: I. 1981. 118–124
Galactia glaucescens 249
Gallesia integrifolia 249
Garrya: *buxifolia* 65; *fremontii* 61, 68
Geissolomataceae 252, 262, 263, 264
Geissomeria cincinnata 251
Genipa americana 245, 251
Gentianaceae 250
Gentrya 89, 100; *racemosa* 89, 90, fig. 93, 94
Genus *Anemia* (Schizaeaceae) in Mexico, by John T. Mickel 388–413
Geonoma 465; *acaulis* 465, 476; *appuniana* 476; *arundinacea* 476; *aspidiifolia* 476; *baculifera* 476; *brongniartii* 476; *camana* 476; *densiflora* 476; *deversa* 465, 476; *juruana* 476; *laxiflora* 476; *leptospadix* 476; *macrostachys* 476; *maxima* 476; *multiflora* 476; *oligoclada* 476; *oligoclona* 476; *pauciflora* 476; *piscicauda* 465, 476; *poiteauana* 476; *pycnostachys* 476; *spixiana* 476; *stricta* 476; *tamandua* 476; *triglochin* 476
Geophila repens 251
Geraniaceae 325, 326
Geropogon 290–293; *hybridus* 290–293
Gigantochloa 33
Gireoudia 189
Gleicheniaceae 119
Gomphrena glauca 249
Goniobryum 2, key 2
Gormania 48, 58; *burnhami* 70; *eastwoodiae* 65; *glandulifera* 67; *hallii* 70; *laxa* 63; *obtusata* 70; *retusa* 73; *watsoni* 75
Gossypium 120
Gouania 250
Gramineae: See Poaceae
GRIMES, JAMES—book review of *The Biological Aspects of Rare Plant Conservation*, by H. Synge, editor 270–271
———.—book review of *Guide to the Botanical Records and Papers in the Archives of the Hunt Institute*, Part I., by M. T. Stieger & A. L. Karg 209
———. See Wetter & Grimes 273–281
——— & SUE KELLER, The herbarium of Wesleyan University, Middletown, Connecticut 368–375
Grimmiaceae 119
Grubbiaceae 252, 262, 263, 264
Guarea: *macrophylla* 245, subsp. *spicaeflora* 244; *stellato-tomentosa* 246
Guazuma: *tomentosa* 250; *ulmifolia* 250

Guiana Region: *Pourouma* 36–41
Gutierrezia 123; *sarothrae* 123
Guttiferae 250
Hamamelidaceae 252, 261, 262, 263, 264, 265
Hamamelidales 261, 264, 265
HARDIN, JAMES W. & ROBERT L. BECKMANN, Atlas of foliar surface features in woody plants, V. *Fraxinus* (Oleaceae) of eastern North America 129–140
Harrington, Harold D. (1903–1981), in memoriam, by Dieter H. Wilkin 11
Heckard, Lawrence R. See Chuang & Heckard 89–101
Hedeoma 121
Helenium chihuahuensis 118
Helianthus annuus 90
Helicodontium 415; *capillare* 416
Helicteres 244, 250
Heliotropium: *indicum* 251; *lagoense* 251; *procumbens* 251
Hemianemia: *brandegeea* 398; *intermedia* 403; *karwinskyana* 404; *rosei* 404
HENRICKSON, JAMES. See Daniel & Henrickson 177–180
——— & EMILY J. LOTT, New combinations in Chihuahuan Desert *Anisacanthus* (Acanthaceae) 170–176
The Herbarium of Wesleyan University, Middletown, Connecticut, by James W. Grimes & Sue Keller 368–375
Hernandiaceae 264
Herpestes myriophylloides 251
Heteranthera limosa 244, 248
Heteropterys tomentosa 249
Heuchera cylindrica 75
Hibiscus cisplatinus 250
Himantandraceae 265
Hippocastanaceae 121
Hippocrateaceae 250
Hippomane 311, 325, 328, 329; *mancinella* 329
HOLMGREN, NOEL H.—book review of the *Illustrated Flora of Illinois. Flowering Plants: Basswoods to Spurges*, by R. H. Mohlenbrock 224
——— & LEILA M. SHULTZ, A new species of *Penstemon* (Scrophulariaceae) from southwestern Utah 381–383
Holodiscus discolor 74
Hookeriaceae 435, 438
Hookeriopsis parkeriana 438
HOPKINS, HELEN C., Three new species of *Parkia* (Leguminosae: Mimosoideae) from tropical South America 346–350
——— & MICHAEL J. G. HOPKINS, Predation by a snake of a flower-visiting bat at *Parkia nitida* (Leguminosae: Mimosoideae) 225–227
HOPKINS, MICHAEL J. G. See Hopkins & Hopkins 225–227
Hordeum 219
Hugonia 324
Humiriaceae 325, 326, 328, 329
HUNZIKER, JUAN H., ARTURO F. WULFF & THOMAS S. SODERSTROM, Chromosome studies on the Bambusoideae (Gramineae) 30–35
Hura 311
Hybridization between *Andropogon glomeratus* var. *pumilus* and *A. longiberbis* (Gramineae) in Central Florida, by Christopher S. Campbell 146–150
Hydrangeaceae 261
Hydrocleis 230; *modesta* 248; *nymphoides* 248
Hydrolea albiflora 251
Hydrophyllaceae 251
Hydrostachyaceae 252, 261
Hygrolejeunea 296; *pacifica* 294–298; *spongia* 294–298
Hymenachne amplexicaulis 248
Hymenaea: *courbaril* 240, 243, 245, 249; *stigonocarpa* 239, 240, 246, 249
Hymenodon 2, key 2
Hymenodontopsis 2, key 2
Hymenopappus filifolius 382
Hyospathe: *brevipedunculata* 476; *elegans* 476; *filiformis* 476
Hyparrhenia rufa 248
Hyptis 251; *dilatata* 251
Identity and taxonomic affinity of *Calathea rotundifolia* and *C. fasciata* (Marantaceae), by Helen Kennedy 22–24
Illiciaceae 261
Illicium 257, 264
Indigofera 339–341; *miniata* 339, var. **florida 339**, key 339, var. *leptosepala* key 339; *mucronata* 340, var. **keyensis 340**
Infrageneric nomenclature in *Acer* (Aceraceae), by Thomas J. Delendick 81–84
Inga 249; *pectinata* 349
Instructions to contributors 126–128
Ipomoea 336–338; sect. *Exogonium* 336; subsect. *Anisomeres* 338; subsect. *Emeticae* 336, 337; *alba* 251; *eriocephala* 421, var. *abbreviata* 421, var. *sericea* 421; **expansa 336**, fig. 337, 338; *fistulosa* 230, 244, 246, 251; *hirtiflora* 418; *perryana* 420; *puncticulata* 336, 338; *purga* 336, 338; *quamoclit* 251; *sagittula* 338
Iriartea 465; *ventricosa* 476
Iriartella setigera 476
Iridaceae 248
Ischnosiphon rotundifolius 22
Iseia 418
ISELY, DUANE, New combinations and one new variety among the genera *Indigofera, Robinia*, and *Tephrosia* (Leguminosae) 339–341
Ixonanthaceae 325, 326, 328, 329
Jacquemontia 417, 418, 422; *eriocephala* 421, var. *mayensis* 420; *hirtiflora* 418; *lactescens* 420; *platycephala* 420
Jatropha 180; *phyllacantha* 245, 250; *urens* 250
Jessenia 465, 473; *bataua* 464, 476
Joinvillea 218
Joinvilleaceae 218
JONES, SAMUEL B., JR., A revision of *Vernonia* series *Buddleiifoliae* (Compositae: Vernonieae) 102–117
Julocroton gardneri 250
Juncus parryi 71, 72
Juniperus occidentalis 71
Justicia: *interrupta* 443; *laetevirens* 375; *laevilinguis* 251; *longistamina* 433

Kalmia 123; *latifolia* 142
KELLER, SUE. See Grimes & Keller 368–375
KENNEDY, HELEN, The identity and taxonomic affinity of *Calathea rotundifolia* and *C. fasciata* (Marantaceae) 22–24
———, A new red-bracted species of *Calathea* (Marantaceae) from Peru 18–21
Keys: *Crotalaria* "foliosa" group 343; *Cryptochloa* 199; "graminea" type *Sagittaria* 16; *Indigofera miniata* var. *florida* 399, var. *leptosepala* 339; *Odonellia* 418; *Penstemon ammophilus* 383, *parvus* 383; Peruvian *Calathea* 21; *Piresia* 203; *Pourouma* of the Guianas and Venezuela 40–41; Rhizogoniaceae genera 2; *Salvia dorrii* complex 155; *Sedum* sect. *Gormania* 59–60, *laxum* subsp. 63, *obtusatum* subsp. 70; *Tephrosia angustissima* var. *angustissima* 341, var. *corallicola* 341, var. *curtissii* 341; *Trillium pusillum* var. *monticulum* 143, var. *virginianum* 143; *Vernonia* ser. *Buddleiifoliae* 102–103; *asteriflora* subsp. 110, *monocephala* subsp. 109
Kielmeyera rosea 250
Koeleria cristata 71
KOOY, F. See Berg & Kooy 36–41
KRAL, ROBERT, A new phyllodial-leaved *Sagittaria* (Alismaceae) from Alabama 12–17
KUIJT, JOB & SYLVIA FEUER, A re-evaluation of *Phrygilanthus nudus* (Loranthaceae) 42–47
Kuntze, Otto 299
Kyllingia peruviana 248
Labiatae: See Lamiaceae
Lacerdaea 220
Lactoridaceae 265
Lafoensia: *densiflora* 250; *pacari* 246, 250; *punicifolia* 240, 246, 250
Lamiaceae 121, 123, 151–169, 251
LANDRUM, LESLIE R., The development of the fruits and seeds of *Campomanesia* (Myrtaceae) 220–224
Langsdorffia hypogaea 245, 248
Larrea 180
Lauraceae 249
Laurales 265
Leersia hexandra 248
Leguminosae 78–80, 225–227, 243, 249, 299, 339–341, 342–345, 346–350; Caesalpinioideae 249, Mimosoideae 225–227, 249, 346–350; Papilionoideae 249
Lejeunea 295, 296; subg. *Microlejeunea* 296; *spongia* 295, 296
Lejeuneaceae 294–298
Lemna 231
Lentibulariaceae 251
Leopoldinia: *insignis* 476; *major* 476; *piassaba* 464, 476; *pulchra* 476
Lepidocaryum: *casiquiarense* 476; *gracile* 476; *guainiensis* 476; *macrocarpum* 476; *tenue* 476
Lepidolejeunea 294, 296; *devoluta* 298; **spongia** 295–298, fig. 297
Lepidopilum 438; **pulcherrimum** 435, **438**, fig. 439
Leptodactylon pungens 72
Leptotheca 1–11, key 2, 3; sect. *Euleptotheca* 2; sect. *Leiocarpa* 2, 5; *beccarii* 5; *boliviana* 1, 3–5, key 3, figs. 4 & 6, map 8, 9; *costaricensis* 1, 3, 5; *gaudichaudii* 1, 3–10, fig. 4, map 9, var. *gaudichaudii* 1, 3, key 3, 5–9, figs. 6 & 7, var. **wattsii** 1, 3, key 3, fig. 7, **9**, 10; *speciosa* 10; *spegazzinii* 5; *wattsii* 1, 9, 10; *wrightii* 10
Leucolejeunea xanthocarpa 294
Leysera 119
Licania: *octandra* subsp. *pallida* 245, 249; *parvifolia* 245, 249
Lichens 413
Liliaceae 141–143, 248, 264
Limnocharis 230; *flava* 244, 248
Limnocharitaceae 248
Limnosipanea schomburgkii 251
Linaceae 300, 324–326, 328
Lipochaeta 121
Lippia: *alba* var. *globiflora* 251; *lupulina* 251; *salviaefolia* 251
Lithachne 27
Lithocarpus densiflorus 64
Loasaceae 250
Lobelia brevifolia 375
Lophostachys sessiliflora 251
Loranthaceae 42–47, 248
LOTT, EMILY J. See Henrickson & Lott 170–176
Ludwigia 12; *inclivata* 250; *nervosa* 250; *peruviana* 250; *sedoides* 250
Luhea: *grandiflora* 250; *paniculata* 250
Luina hypoleuca 68
LUTEYN, JAMES L.—book review of *The Cacti of the United States and Canada*, by Lyman Benson 482–483
———.—book review of *Mammillaria—A Collector's Guide* 47
Lythraceae 250
Mabea fistulifera 244, 250
MCDONALD, ANDREW, A new species of *Ipomoea* (Convolvulaceae) from southwestern Mexico 336–338
Machaerium: *acutifolium* 243, 249; *latifolium* 249
Macromitrium **perreflexum** 435, **436**, figs. 436 & 437, 438
Macrozamia 355
Magnolia 330
Magnoliaceae 265
Magnoliales 252, 265
Magonia glabrata 240, 250
Maillea 481
Malpighiaceae 244, 246, 249, 325, 327
Malva houghtonii 375
Malvaceae 120, 250, 325, 327, 375
Manicaria: *atricha* 476; *martiana* 476; *sacciferas* 466, 476
Manihot anomala 250
Map of the floristic provinces of North America, by Arthur Cronquist 144–145
Maranta: *arundinacea* 248; *borussica* 23; *orbifolia* 22; *rotundifolia* 22
Marantaceae 18–24, 248
Maranthes polyandra 226
Marchesinia 294
Maripa volubilis 420

Marsilea 230; *polycarpa* 248
Maryland: *Wetherellia, Palaeowetherellia* 300–333
Mascagnia: *benthamiana* 244, 249; *sepium* 244, 249
Mauritia 473; *aculeata* 476; *campylostachys* 476; *carana* 476; *duckei* 476; *flexuosa* 464, 466, 476; *huebneri* 476; *intermedia* 476; *martiana* 476; *nannostachys* 476; *pumila* 476
Maximiliana 465, 473; *maripa* fig. 470, 476
MAZER, SUSAN J. & BRUCE H. TIFFNEY, Fruits of *Wetherellia* and *Palaeowetherellia* (?Euphorbiaceae) from Eocene sediments in Virginia and Maryland 300–333
Melampodium 123
Melastomataceae 250
Meliaceae 249, 300, 325, 327–329; Capuronianthioideae 328; Quivisianthoideae 328; Swietenioideae 328; Melioideae 329
Melloa quadrivalvis 251
Melochia: *hirsuta* 250; *parvifolia* 250; *pyramidata* 250; *simplex* 244, 250
Menispermaceae 249
Mentha 152, 366
Mentzelia corumbaensis 244, 246, 250
Menyanthaceae 251
Mesechites 251; *mansoana* 251
Mesochaete 1, 2, key 2
Mexico: *Anemia* 388–413; *Ceratozamia* 181–184, 185–188; *Coreopsis* 384–387; *Dion* 355–362; *Erigeron astranthioides* 285–289; *Ipomoea* 336–338; Myriniaceae 414–416; *Solanum* subg. *Leptostemonum* 85–88
MICKEL, JOHN T., The genus *Anemia* (Schizaeaceae) in Mexico 388–413
Miconia ferruginata 250
Microdiptera 330
Mielichhoferia 2
Mikania: *linearifolia* 251; *micrantha* 242, 251
Mimosa: *pectinata* 349; *sensitiva* 249
Mimosoideae 225–227, 249, 346–350
Mistletoes 42–47
Mniaceae 122
Mniothamnea bullata 264
Mohria intermedia 399
Monarda 123
Monimiaceae 249
Monocarpellites 311
Montanoa 120
Montejacquia perryana 420
Monvillea cavendishii 245, 250
Moraceae 36, 248
MORETTI, ALDO, SERGIO SABATO & MARIO VÁZQUEZ TORRES, The rediscovery of *Ceratozamia kuesteriana* (Zamiaceae) in Mexico 185–188
MORI, SCOTT A. See Prance & Mori 351–354
Mouriri 250; *guianensis* 245, 250
Muhlenbergia pungens 381
Musci 119, 123, 435–441
Myrceugenia 122, 221
Myrcia amazonica 250
Myrcianthes 221
Myriniaceae 414–416
Myriophyllum 12
Myristicaceae 265
Myrothamnaceae 252, 262, 263, 264
Myrothamnus 264
Myrtaceae 122, 220, 250, 325, 327; Myrteae 223
Najas 12
Nasturtium 299
Nematocladia 414; tesserata 414–416, fig. 415
Nematocladia tesserata genus et species novae (Myriniaceae), by William R. Buck 414–416
Nephrolepis biserrata 248
Nerisyrenia 118
NESOM, GUY L. See De Jong & Nesom 285–289
Neurolepis 33
New combinations and one new variety among the genera *Indigofera, Robinia,* and *Tephrosia* (Leguminosae), by Duane Isely 339–341
New combinations in Chihuahuan Desert *Anisacanthus* (Acanthaceae), by James Henrickson & Emily J. Lott 170–176
New phyllodial-leaved *Sagittaria* (Alismaceae) from Alabama, by Robert Kral 12–17
New red-bracted species of *Calathea* (Marantaceae) from Peru, by Helen Kennedy 18–21
New species and combinations in *Odontonema* (Acanthaceae), by Vicki M. Baum 424–434
New species in *Begonia* section *Gireoudia* (Begoniaceae) from Central America, by Kathleen Burt-Utley 189–198
New species of *Ceratozamia* (Zamiaceae) from Chiapas, Mexico, by Dennis Wm. Stevenson 181–184
New species of *Cryptochloa* and *Piresia* (Poaceae: Bambusoideae), by Thomas R. Soderstrom 199–209
New species of *Ipomoea* (Convolvulaceae) from southwestern Mexico, by Andrew McDonald 336–338
New species of *Penstemon* (Scrophulariaceae) from southwestern Utah, by Noel H. Holmgren & Leila M. Shultz 381–383
New species of *Penstemon* (Scrophulariaceae) from Wyoming, by Robert D. Dorn 334–335
New species of *Solanum* subgenus *Leptostemonum* (Solanaceae) from northeastern Mexico, by Michael Nee 85–88
New variety of *Cardamine angustata* (Cruciferae) from the Ouachita Mountains of Arkansas, by Edwin B. Smith 376–380
New variety of *Trillium pusillum* (Liliaceae) from the Virginias, by Norlyn L. Bodkin and James L. Reveal 141–143
North America: map 145
Notes on the asters (Asteraceae) of Edward S. Burgess, by Mark Allen Wetter & James W. Grimes 273–281
Nothofagus 8, 9, 121
Nyctaginaceae 243
Nymphaea 238, 249; *amazonum* 249
Nymphaeaceae 249
Nymphoides 251
Nypa 300, 305, 323
Nyssa 312

Oats 118
Oaxaca: *Astragalus* 78–80
Ochlandra 33
Ocotea 249
Odonellia 417–423, key 418; **eriocephala** key 418, fig. 419, **421**, 422, map 422; **hirtiflora 418**–421, key 418, fig. 419, map 422
Odonellia, a new genus of Convolvulaceae from tropical America, by Kenneth R. Robertson 417–423
Odontadenia hypoglauca 246, 251
Odontonema 424–434; **album 424**, fig. 425; **amicorum** 424–427, **425**, fig. 426; *ampelocaule* 431, 432; *bracteolatum* 424; **breedlovei** 424, **427**, fig. 428, 430, 431; *callistachyum* 425, 427; *dubiosum* 433; *foliaceo-bracteatum* 433; *fuchsioides* 421, 432; **glaberrimum** 424, **427**; *glabrum* 427, 430; *hondurense* 427, 430; *hookerianum* 433; *interruptum* 433; **laxum** 424, **427**–430, fig. 429; *lindenianum* 433; **mortonii** 424, 427, **430**, fig. 430, 431; *nitidum* var. **albidum** 424, **431**, f. *albidum* 431, var. *nitidum* 431; *paniculatum* 433; *rubrum* 427, 430; *rutilans* 431, 432; *schomburgkianum* 431, 432; **speciosum** 424, **431**, 432; *stenostachyum* 433
Oenocarpus 465; *bacaba* 464, 476; *discolor* 476; *distichus* 464, 476; *macrocalyx* 476; *mapora* 476; *minor* 476; *tarampabo* 476
Oleaceae 129–140
Olsen, John, Two new species of *Verbesina* section *Ochractinia* (Asteraceae) from South America 282–284
Olyra 199; *capillata* 202; *ciliatifolia* 30, 31, fig. 32; *fasciculata* 31, fig. 32, 33; *latifolia* 30, 31, fig. 32; *sympodia* 206
Onagraceae 250
On the recognition of *Anisacanthus junceus* (Acanthaceae), by Thomas F. Daniel & James Henrickson 177–180
Ophiocephalus 89, 100; *angustifolius* 89, 90, fig. 93, 94
Opuntia stenarthra 231, 244, 250
Orbignya 464, 465, 473; *barbosiana* 464, 476; *pixuna* 476; *sabulosa* 477; *spectabilis* 477
Ornithopteris: *adiantifolia* 397; *cicutaria* 399; *hirsuta* 400; *makrinii* 405; *mexicana* 405; *speciosa* 411
Oroxylum indicum 227
Orthocarpus 89–101; subg. *Orthocarpus* 89, 92–98; subg. *Triphysaria* 89, 92, 93, 98; sect. *Castillejoides* 89, 92, 95–97, 99, 100; sect. *Cordylanthoides* 89, 92, 93, 97–100; sect. *Monosaccus* 92, 100; sect. *Orthocarpus* 89, 92–95, 100; *attenuatus* 89, fig. 90, 95, 99, 100; *australis* 89, 99; *barbatus* fig. 93, 94; *bracteosus* fig. 90, 94, 99; *brevistylus* 89, fig. 90, 95, 99, 100; *campestris* 93, var. *campestris* fig. 91, 97, var. *succulentus* 97; *castillejoides* 90, 100, var. *castillejoides* 89, fig. 91, 95, var. *humboltiensis* 89, 95, var. *insalutatus* 95; *copelandii* fig. 90, 94, var. *cryptanthus* 94; *cuspidatus* fig. 90, 94; *densiflorus* 89, 99, var. *densiflorus* fig. 91, 96, var. *gracilis* fig. 91, 96, var. *obispoensis* 96; *erianthus* var. *erianthus* fig. 92, 98, var. *roseus* 98; *faucibarbatus* subsp. *albidus* 98, var. *faucibarbatus* fig. 92, 98; *floribundus* fig. 92, 98; *hispidus* 89, 90, figs. 91 & 92, 97, 99, 100; *imbricatus* fig. 90, 94; *lacerus* 89, 90, fig. 92, 98, 99; *laciniatus* 89, 90, fig. 91, 96, 99, 100; *lasiorhynchus* fig. 92, 98; *linearilobus* 89, fig. 91, 96, 99; *lithospermoides* fig. 92, var. *bicolor* 98, var. *lithospermoides* 98; *luteus* 89, fig. 90, 94; *micranthus* fig. 93, 98; *pachystachyus* 89; *purpurascens* 89, 90, 99, 100, var. *latifolius* 97, var. *pallidus* 97, var. *purpurascens* fig. 91, 96, 97; *purpureo-albus* 90, fig. 93, 94; *pusillus* fig. 92, 98; *tenuifolius* 89, fig. 90, 95; *tolmiei* fig. 90, 95
Orthomnion 122
Orthotrichaceae 435, 437
Orthotrichum 123
Oryza subulata 230, 248
Osmunda 393; *adiantifolia* 397; *hirsuta* 400; *humilis* 407; *oblongifolia* 407; *phyllitidis* 409
Osmundaceae 119
Otto Kuntze, botanist. IV. Recent addition of specimens to the New York Botanical Garden Herbarium with other notes on Kuntze, by Thomas A. Zanoni 299
Oxalidaceae 249, 325, 327
Oxalis euphorbioidea 249
Oxytenanthera 33
Oyedaea trachyphylla 242, 251
Paepalanthus lamarckii 248
Paivaea 220, 221
Palaeowetherellia 300–333, figs. 303 & 321, map 324; *schweinfurthii* 300, 304, 307, 309, 311, 312, 322, 323, 330
Palafoxia 123
Palicourea crocea 245, 251
Palm taxonomy in Brazilian Amazônia: The state of systematic collections in regional herbaria, by Michael J. Balick, Anthony B. Anderson & Marlene Freitas da Silva 463–477
Palmae 300
Palms 463–477
Paltaea speciosa 250
Panama: *Cryptochloa* 25–29
Pandaceae 325, 327
Panicum: *boliviense* 248; *dichotomiflorum* 248; *laxum* 248; *repens* 248; "*thrasya* var. *villosus*" 461
Pantanal: vegetation 228–251; map 229, map 233
Papilionoideae 249
Paragonia pyramidata 251
Parascheelea 465; *anchistropetala* 477; *luetzelburgii* 477
Paratheria prostrata 248
Pariana aurita 30, 31
Parkia 225–227, 346–350; sect. *Paryphosphaera* 346; *auriculata* 225; **bahiae** 346, **347**, fig. 348, 349; *biglobosa* 226, 227; **cachimboensis 346**, 349; *discolor* 347; *igneiflora* 347; *nitida* 225, 226, 346, 347; **panurensis** 346, **347**, 349; *pectinata* 346, 347, 349; *pendula* 226; *roxburghii* 227

Parthenium 180
Paspalum 459; *almum* 248; *Decumbentes* group 459; *notatum* 248; *repens* 248; *stellatum* 248
Passiflora: *foetida* 250; *misera* 250
Passifloraceae 250
Paullinia 250; *pinnata* 244
Pavonia: *gemniflora* 250; *mollis* 250
Peixotoa 249
Peltodon 251
Penstemon 334; sect. *Cristati* 381, 383; sect. *Glabri* 334, 381, 382; ser. *Deusti* 383; ser. *Virgati* 381–383; *albomarginatus* 383; **ammophilus 381**, fig. 382, key 383; *breviculus* 383; *cyananthus* 334–335; *deustus* 67, 72; *fremontii* 334; **gibbensii 334**–335; *navajoa* 383; *newberryi* 71, 72, 74; *parvus* 381, key 383; *saxosorum* 334
Pentachaeta 122
Pereskia saccharosa 244, 245, 250
Periandra heterophylla 249
Persea 185
Peru: *Calathea* 18–21; *Tovarochloa* 478
Philadelphus 265; *lewisii* 66
Philodice hoffmannseggii 248
Phleum sect. *Maillea* 481
Phlox diffusa 71, 75
Pholidostachys synanthera 477
Phrygilanthus 42–47; *nudus* 42–47
Phrynium 22; *rotundifolium* 22
Phyllostachys 33; *makinoi* 33
Phyllostomus discolor 226
Phyllostylon rhamnoides 241, 245, 248
Phytelephas: *macrocarpa* 477; *microcarpa* 477
Phytolaccaceae 249
PICKETT, STEWARD T. A.—book review of *Laboratory and Field Manual of Ecology*, by R. Brewer & M. T. McCann 483–484
Pieris floribunda 142
Pilidiostigma 221
Pimpinella 365
Pinus 336; *albicaulis* 71, 75; *attenuata* 64; *contorta* 71; *flexilis* 71; *jeffreyi* 64–66, 71, 72; *lambertiana* 65, 66; *monticola* 67, 73–75; *ponderosa* 69, 73, 74, 381; *pungens* 141; *sabiniana* 66; *strobus* 141
Piper tuberculatum 248
Piperaceae 248, 265
Piptocarpha 210; *axillaris* var. *minor* 216; **densifolia** 210, 212, **214**, fig. 215, 216, 217; *notata* 214; *organensis* 212, 216, 217; *poeppigiana* 210; **ramboi** 210, **212**, fig. 213, 214; *regnellii* 216; *rotundifolia* 210, 212, subsp. **hatschbachii** 210, fig. 211, **212**; *sellowii* 214; *tetrantha* 210; *triflora* 210
Piresia 199, 203–209, key 203; *goeldii* key 203, 206; **leptophylla** 199, key **203**, 206, fig. 207, 208, 209; **macrophylla** 199, key 203, **203**, fig. 205, 206, 209; *sympodica* key 203
Pistia 203; *stratiotes* 244, 248
Pithecellobium: *multiflorum* 244, 249; *saman* 243, 245, 249
Pithecoctenium crucigerum 251
Pittosporaceae 252, 261, 262, 263, 264
Pittosporales 252, 261, 262, 265
Pityrogramma triangularis 61
Platanus glabrata 88
Plathymenia reticulata 240, 246, 249
Platycerium 121
Platypodium elegans 249
Platyzamia rigida 335, 358
PLOWMAN, TIMOTHY, Three new species of *Erythroxylum* (Erythroxylaceae) from Venezuela 442–457
Plumeria velutina 251
Poa: *incurva* 74; *nervosa* 71
Poaceae 25–35, 118, 146–150, 199–209, 219, 248, 458–462, 478–481; Agrostideae 480; Bambusoideae 30–35, 199–209; Bambuseae 31, 33, 34; Olyreae 28, 31, 33, 34; Parianeae 28, 31, 33, 34; Phareae 33, 34; Pooideae 478–481; Streptochaeteae 31, 33, 34; Streptogyneae 33, 34
Poales 218
Podocarpus 9
Podostemon 12
Polygala longicaulis 249
Polygalaceae 249, 263
Polygonaceae 248
Polygonum acuminatum 248
Polypodiaceae 122
Polypodium: *pectinatum* 120; *plumula* 120
Polystichum munitum 66
Pontederia 234; *cordata* 242, var. *lancifolia* 248
Pontederiaceae 248
Porophyllum ruderale 251
Potamogeton 12
Potos flavus 226
Pourouma 36–41, key 40–41; *acuminata* 36; **bolivarensis** 36, **39**, 40, fig. 39, key 40; *cecropiaefolia* key 40; *cucura* key 40; *guianensis* key 40; *laevis* key 41; *melinonii* key 41; *minor* 40, key 40; *mollis* keys 40 & 41; *oraria* 39; *ovata* 36, key 40; *populifolia* 36; **saulensis 36**, 37, fig. 37, key 40; *tomentosa* key 41; *velutina* key 40; *villosa* 39
Pouteria 240, 250
Pouzarella 122
PRANCE, GHILLEAN T.—book review of *Botany. Plant Biology and its Relation to Human Affairs*, by J. H. Langenheim & K. V. Thimann 188
——— & SCOTT A. MORI, In Memoriam. Dárdano de Andrade-Lima (1919–1981) 351–354
——— & GEORGE B. SCHALLER, Preliminary study of some vegetation types of the Pantanal, Mato Grosso, Brazil 228–251
Predation by a snake of a flower-visiting bat at *Parkia nitida* (Leguminosae: Mimosoideae), by Helen C. Hopkins & Michael J. G. Hopkins 225–227
Preliminary study of some vegetation types of the Pantanal, Mato Grosso, Brazil, by Ghillean T. Prance & George B. Schaller 228–251
Prosopis 114, 180
Proteaceae 121
Prunus serotina 142
Pseuderanthemum: **cuspidatum** 424, **433**; **hoo-**

kerianum 424, **433**; **interruptum** 424, **433**; **paniculatum** 424, **433**; **stenostachyum** 424, **433**
Pseudobombax marginatum 240, 250
Pseudotaenidia 365–367; *montana* 365
Pseudotsuga menziesii 64, 67–69, 73, 75
Psidium 221, 223; *acutangulum* 250; *guineense* 250
Psittacanthus 42–46; *cordatus* 248; *dichrous* 45; *hamulifer* 45; **nudus** 42–**45**, figs. 43, 45, & 46; *palmeri* 42, 44, 45; *peronopetalus* 45; *sonorae* 44; *warmingii* 248
Psychotria 251
Pteridophytes 119, 248, 370, 388–413
Pterocarpus rohrii 244, 249
Pterolepis 250
Pteropus seychellarum 227
Pterozonium 122
Pyrostegia venusta 251
Pyrrhobryum 2, key 2
Pyrrhopappus 122
Qualea: *grandiflora* 239, 240, 246, 249; *parviflora* 237, 239, 240, 246, 249
Quercus 88, 185, 336; *chrysolepis* 61, 66–68, 73, 74; *durata* 61; *garryana* 64, 68; *kelloggii* 66, 73; *prinus* 142; *sadleriana* 75; *vaccinifolia* 65, 71, 72, 75
Raddia 28, 33; *brasiliensis* 30, 31, fig. 32
Ramona 152, 153; *dorrii* 153, 160; *incana* 153, 161; *pachystachya* 166; *pilosa* 164; *polystachya* 153
Randia armata 245, 251
Ranunculaceae 121
Ranunculus hispidus 119
Raphia taedigera 477
Rediscovery of *Ceratozamia kuesteriana* (Zamiaceae) in Mexico, by Aldo Moretti, Sergio Sabato & Mario Vázquez Torres 185–188
Reduction of *Pseudotaenidia* to *Taenidia* (Apiaceae), by Arthur Cronquist 365–367
Re-evaluation of *Phrygilanthus nudus* (Loranthaceae), by Job Kuijt & Sylvia Feuer 42–47
Relhania 119
Reussia: *rotundifolia* 248; *subovata* 230, 248
REVEAL, JAMES L. See Bodkin & Reveal 141–143
Revision of *Sedum* section *Gormania* (Crassulaceae), by Melinda F. Denton 48–77
Revision of the *Salvia dorrii* complex (Lamiaceae), by Jeffrey L. Strachan 151–169
Revision of *Vernonia* series *Buddleiifoliae* (Compositae: Vernonieae), by Samuel B. Jones, Jr. 102–117
Rhamnaceae 250
Rheedia: *brasiliensis* 250; *gardnerana* 244, 250
Rhizocephalus 481
Rhizogoniaceae 1–11; key to genera 2
Rhizogonium 2, key 2; *pennatum* 2, var. *aristatum* 2
Rhizomnium 122
Rhodocalyx rotundifolius 246, 251
Rhodoleia 264
Rhus 180; *diversiloba* 61, 68
Rhynchospora: *corymbosa* 242, 245; *cymosa* β *globularis* 375; *pusilla* 375; *tennerrima* 248
Riccardia 436
Ricia 231
ROBERTSON, KENNETH R., *Odonellia*, a new genus of Convolvulaceae from tropical America 417–423
Robinia 339–341; *hispida* var. *fertilis* 340, var. **kelseyi** 339, **340**; *kelseyi* 340, 341
ROGERSON, CLARK T.—book review of *Edible Mushrooms*, Second Edition, by Clyde M. Christensen 101
———.—book review of *The Downy Mildews*, by D. M. Spencer, ed. 125
———.—book review of *The Fungus Fighters*, by Richard S. Baldwin 125
Rollinia 243
Roridula 264
Roridulaceae 252, 262, 263, 264
Rorippa 299
Rosales 261, 262, 264, 265
Rosidae 329
Rosiflorae 262
Rotala mexicana 250
Rubiaceae 120, 251, 325, 327
Rudgea: *cornifolia* 245, 251; *krukovii* 251
Ruellia bahiensis 251
Rutaceae 243, 249, 325, 327
Rynchanthera secundiflora 250
SABATO, SERGIO. See DeLuca, Sabato & Torres 355–362
———. See Moretti, Sabato & Torres 185–188
Sagittaria 12–17, key 16; *cristata* 15, 16, key 16; *fasciculata* 15, 16, key 16; *graminea* 12, 15, 16, var. *chapmanii* 16, key 15, var. *graminea* 15, key 16, var. *weatherbiana* 15, key 16; *isoetiformis* 15, key 16; *platyphylla* 15, 16, key 16; *rigida* 15, key 16; **secundifolia 12**–16, fig. 13, key 16; *subulata* 12; *teres* 15, key 16
Salacia elliptica 250
Salicaceae 375
Salix 369; *adenophylla* 375; *barrattiana* 375; *candida* 375; *cordifolia* var. α *maxima* 375; *crassa* 375; *desertorum* var. *acutifolia* 375, var. *candida* 375; *discolor* var. *elongata* 375, var. β *obovata* 375; *drummondiana* 369; *drummondii* 369; *fragilis* var. β *pendula* 375; *hookeriana* 369, 375; *muhlenbergiana* var. α *angustifolia* 375, var. α *grandifolia* 375, var. γ *retusa* 375, var. *tomentosa* 375; *pameachiana* 375; *petiolaris* 375; *pitcheriana* 375; *prinoides* var. α *hybrida* 375; *repens* var. *depressa* 375; *reticulata* β *maxima* 375, β *minima* 375; *scouleriana* 369; *subcordata* 375; *torreyana* 375; *tristis* var. β *monadelphia* 375; *villosa* 375, var. β *acutifolia* 375
Salmea 119
Salvia subg. *Audibertia* 151; subg. *Calosphace* 151; *apiana* 153; *carnosa* 152, 153, 157, 161, subsp. *argentea* 152, 153, 157, 160, subsp. *carnosa* 153, subsp. *gilmanii* 153, 159, 160, subsp. *mearnsii* 153, 165, subsp. *pilosa* 152, 153, 157, 164, subsp. *typica* 153, 157, var. *argentea* 160, var. *compacta* 152, 166, var. *gilmanii* 160, var. *gracilior* 160, var. *pilosa*

164, var. *typica* 161; *clevelandii* 168; *compacta* 152, 166; *dorrii* 151–169, key 155, map 158, subsp. *argentea* 153, 160, 161, subsp. *carnosa* 161, subsp. *dorrii* 151, 155, map 158, 159, subsp. *gilmanii* 160, 161, subsp. *mearnsii* 151–169, map 158, fig. 167, subsp. *pachyphylla* 151, var. *carnosa* 151–169, fig. 156, map 158, var. **clokeyi** 151–169, fig. 156, map 158, **163**, var. *dorrii* 151–169, fig. 156, map 158, var. *pilosa* 151–169, fig. 156, map 158; *incana* 161; *pachyphylla* 151–169, map 158, fig. 167; *pachystachya* 166; *pilosa* 164; *polystachya* 153
Salvinia 231; *auriculata* 242, 244, 248
Sapindaceae 250
Sapindus saponaria 250
Sapotaceae 250
Sarcococca 257, 264
Sarcostemma clausum 251
Sasa 33
Sasaella 33
Sasamorpha 33
Saxifragaceae 252, 261, 262, 263
SCHALLER, GEORGE B. See Prance & Schaller 228–251
Schaueria paniculata 433
Scheelea 465; *huebneri* 477; *insignis* 477
Schizachyrium scoparium 381
Schizaea fistulosa 393
Schizaeaceae 119, 388–413
Schizostachyum 34
Schultesia brachyptera 250
Schwannia 246; *schalleri* 249
Scirpus cubensis 242, 245, 248
Scleria pterota 248
Scoparia flava 251
Scorzonera 293
Scrophulariaceae 89–101, 251, 334–335, 381–383; Euphrasieae 89; Castillejinae 89–101
Sebastiana anisandra 250
Sedum 48–77; subg. *Gormania* 48; sect. *Gormania* 48–77, key 59–60, map 61; sect. *Oreganica* 48, 49; sect. *Rosulata* 48; *albomarginatum* 49–53, fig. 50, 56, 58, 60–62, key 60, map 61, 66, 69, 70; *burnhamii* 70; *eastwoodiae* 65; *glanduliferum* 67; *hallii* 70; *heckneri* 66; *laxum* 49, 58, keys 59 & 60, map 61, 62–67, key 63, 69, subsp. *eastwoodiae* 52, 53, 56–58, map 61, 62–65, key 63, subsp. *flavidum* fig. 50, 51–56, fig. 55, 58, 61–66, map 61, key 63, subsp. *heckneri* fig. 50, 51–53, 56, 57, 61–67, map 61, key 63, subsp. *latifolium* 63, 64, subsp. *laxum* 51–57, fig. 55, 61–67, map 61, key 63, 76, subsp. *perplexum* 63, subsp. *retusum* 73; *moranii* 49, 51–54, 56–58, key 59, map 61, 67–69; *oblanceolatum* 49, 51–56, fig. 55, 58, key 60, map 61, 64, 68, 69; *obtusatum* 49, 58, key 60, map 61, 62, 66, 69–75, key 70, subsp. *boreale* 52, 53, 56, 57, map 61, 70–74, key 70, subsp. *obtusatum* 51–53, 56, 58, map 61, 70–72, key 70, 74, subsp. *paradisum* 52, 53, 56, map 61, 70, key 70, 73, 74, subsp. *retusum* 51–54, fig. 55, 57, 58, map 61, 70, key 70, 71, 73–76, var. *hallii* 70; *oreganum* 48; *oregonense* 49, 51–54, fig. 55, 57, 58, key 60, map 61, 69, 71, 74–76; *sanhedrinum* 73; *spathulifolium* 48; *watsoni* 75
Seguieria 243, 249
Selaginella wallacei 67, 68, 73, 74
Seligeria 123
Semiarundinaria 33
Senecio multilobatus 382
Senna 246; *aculeata* 244, 249; *alata* 244, 249; *georgica* 249; *hirsuta* var. *puberula* 249; *mucronifera* 244, 249; *occidentalis* 245, 249; *pendula* 243, 245, 249
Serjania 250; *erecta* 250; *glutinosa* 250
Sesbania exasperata 243, 249
Setaria geniculata 248
Shibataea 33
SHULTZ, LEILA M. See Holmgren & Schultz 381–383
Sida glomerata 250
SILVA, MARLENE FREITAS DA. See Balick, Anderson & Silva 463–477
Simarouba versicolor 240, 249
Simaroubaceae 249, 328
Simira hexandra 251
Simmondsia 265
Simmondsiaceae 265
Sinarundinaria 33
Sinobambusa 33
Smilacaceae 248
Smilax benthamiana 248
SMITH, EDWIN B., A new variety of *Cardamine angustata* (Cruciferae) 376–380
SMITH, GERALD L., Taxonomic considerations of *Piptocarpha* (Compositae: Vernonieae) and new taxa in Brazil 210–218
Smyrnium 365
Socratea 465; *exhorrhiza* 477
SODERSTROM, THOMAS R., *Cryptochloa dressleri* (Poaceae), a new bambusoid grass from Panama 25–29
———, New species of *Cryptochloa* and *Piresia* (Poaceae: Bambusoideae) 199–209
———. See Hunziker, Wulff & Soderstrom 30–35
Solanaceae 85–88, 251
Solanum 243, 251; subg. *Leptostemonum* 85–88; sect. *Acanthophora* 88; sect. *Androceras* 88, 124; sect. *Lasiocarpa* 124; **citrinum 85–88**, fig. 86, map 87; *johnstonii* 88; *malaxylon* 246, 251; *mitlense* 88; *myriacanthum* 88
Solidago microglossa 251
Sorghastrum setosum 248
South America: *Parkia* 346–350; *Verbesina* 282–284
Sphenoclea zeylanica 251
Sphenocleaceae 251
Sphinctanthus microphyllus 243, 251
Spilanthes 121
Spiraea densiflora 71
Spiridens reinwardtii 2
Spondias lutea 245, 250
Sporobolus jacquemontii 248
Spraguea umbellata 72
Stachytarpheta angustifolia var. *elatior* 251

STEERE, WILLIAM CAMPBELL, Four new species of Musci from the Andes of Ecuador and Colombia 435–441
Stenostephanus **longistaminus** 424, **433**
Sterculia striata 243, 250
Sterculiaceae 328
STEVENSON, DENNIS WM., A new species of *Ceratozamia* (Zamiaceae) from Chiapas, Mexico 181–184
Stigmaphyllon 244, 246, 249
STRACHAN, JEFFREY L., A revision of the *Salvia dorrii* complex (Lamiaceae) 151–169
Streblacanthus **dubiosus** 424, **433**
Strephium 30; *distichophyllum* 30, 31, fig. 32
Streptanthus tortuosus 71, 72, 74
Streptochaeta sodiroana 30, 31
Stylisma 122
Styloceras 265
Stylophyllum 48, 49
Sucrea 30; *monophylla* 30, 31, fig. 32
Swallenochloa 33, 34
Swartzia jorori 243
Syagrus: *cocoides* 477; *comosa* 477; *inajai* 477; *petraea* 477
Symphyodon 441; **americanus** 435, **438**, fig. 440, 441; *echinatus* 435, 438, 441
Symphyodontaceae 435, 438
Tabanidae 338
Tabebuia caraiba 239, 240, 246, 251; *impetiginosa* 243, 251; *ochracea* subsp. *heteropoda* 243, 251
Taenidia 365–367; *integerrima* 365; **montana 367**
Talisia esculenta 243, 250
Taxilejeunea luteola 298
Taxonomic considerations of *Piptocarpha* (Compositae: Vernonieae) and new taxa in Brazil, by Gerald L. Smith 210–218
Taxonomic investigation of *Leptotheca* (Rhizogoniaceae), by Stephen P. Churchill & William R. Buck 1–11
The taxonomy and nomenclature of *Crotalaria foliosa* (Leguminosae) and related species, by Donald R. Windler & Steven G. Skinner 342–345
Tephrosia 339–441; *angustissima* key 341, var. *angustissima* key 341, var. **corallicola 341**, key 341, var. **curtissii 341**, key 341; *chrysophylla* 340, ×*florida* 340; *florida* 340, ×**floridana 340**; *intermedia* 340; *purpurea* 341; *tenella* 341
Terminalia subsericea 246, 250
Tetracentraceae 265
Tetrapterys paraguariensis 249
Tetratheca 262; *retrorsa* 262
Thalia 22; *geniculata* 230, 242, 248; *rotundifolia* 22
Thamnocalamus 33
Thevetia amazonica 251
THIERS, BARBARA M., Type studies in the Lejeuneaceae. I. *Archilejeunea pabstii, Hygrolejeunea pacifica* and *Hygrolejeunea spongia* 294–298
Thinouia paraguaiensis 250
Thlaspi 299
Thrasya 458–462; **auricoma** 458, fig. 459, **461**, 426; *campylostachya* 459; **glaziovii** 458, fig. 459, **460**, 461; *hitchcockii* 459; **oreophila 458**, fig. 459; *paspaloides* 460; *thrasyoides* 458, 459, 460, 461; *trinitensis* 462
Three new species of *Erythroxylum* (Erythroxylaceae) from Venezuela, by Timothy Plowman 442–457
Three new species of *Parkia* (Leguminosae: Mimosoideae) from tropical South America, by Helen C. Hopkins 246–350
Three new species of *Pourouma* (Cecropiaceae) of the Guiana Region, by C. C. Berg & F. Kooy 36–41
Three new species of *Thrasya* (Gramineae) from Brazil, by Alasdair G. Burman 458–462
Thrinax: *parviflora* 465; *radiata* 465
Thyella 418; *eriocephala* 421; *hirtiflora* 418; *lactescens* 420, *mayensis* 420; *tamnifolia* 418
Thyrsacanthus 432; *foliaceo-bracteatus* 433; *hookerianus* 433; *interruptus* 433; *lindenianus* 433; *longistaminus* 433; *ramosissimus* 433
TIFFNEY, BRUCE H. See Mazer & Tiffney 300–333
Tiliaceae 250, 325, 328
Tillandsia loliaceae 248
Tiquilia 123
Tithonia 122
Toothworts 376
Torneuxia 293
TORRES, MARIO VÁZQUEZ. See DeLuca, Sabato & Torres 355–362
———. See Moretti, Sabato & Torres 185–188
Torreya 372
Torulinium odoratum 245, 248
Tovarochloa 478–481; **peruviana 478**, fig. 479, 480
Tovarochloa (Poaceae: Pooideae), a new genus from the high Andes of Peru, by Terry D. Macfarlane & Paul P.-H. But 478–481
Tradescantia occidentalis 382
Tragopogon 290–293; *dubius* 290, 292, 293
Tremandraceae 252, 262, 263, 264
Trematodon 435, 436
Trillium 141–143; *pusillum* var. **monticolum 141**, fig. 142, 143, var. *ozarkanum* 142, var. *pusillum* 142, var. *texanum* 142, var. *virginianum* 141–143, fig. 142
Triplaris 230, 244; *formicosa* 244, 249; *schomburgkiana* 244, 249
Trochodendraceae 265
Tropical America: *Odonellia* 417–423
Tsuga: *canadensis* 142; *mertensiana* 75
Turpinia 330
Two new species of *Verbesina* section *Ochractinia* (Asteraceae) from South America, by John Olsen 282–284
Type studies in the Lejeuneaceae. I. *Archilejeunea pabstii, Hygrolejeunea pacifica* and *Hygrolejeunea spongia*, by Barbara M. Thiers 294–298
Typha domingensis 242, 244, 248

Typhaceae 248
Ulmaceae 248
Unonopsis lindmanii 249
Utah: *Penstemon* 381–383
Utricularia hydrocarpa 251; *obtusa* 251; *triloba* 251
Vacciniaceae 122
Venezuela: *Erythroxylum* 422–457
Verbena phlogiflora 251
Verbenaceae 251
Verbesina sect. *Lipactinia* 284; sect. *Ochractinia* 282–284; *acuminata* 282, 283; **carangolensis 282**–284, fig. 284; *claussenii* 284; *lanata* 282; *nudipis* 282; *oligactis* 282; **quetamensis 282**, fig. 283; *synethes* 282; *tachirensis* 282
Vernonia 102–117, 210; sect. *Eremosis* 210; sect. *Vanillosma* 210; ser. **Buddleiifoliae 102**–117, key 102–103; ser. *Verbascifoliae* 102; *argentea* key 103, map 112, 114–116; *argyrophylla* key 103, 113, 114, map 115; *ariaefolia* 113; *asteriflora* key 103, 110, subsp. *asteriflora* 110, key 110, map 112, subsp. **kuntzei** 102, key 110, **110**, map 112; *brasiliensis* 251; *buddleiifolia* 102–105, key 103, map 105; *chamaepeuces* key 103, map 108, 116; *coriacea* 102–106, keys 102 & 103, map 105; *farinosa* key 102, map 105, 111; *ferruginea* 251; *flavescens* 107; *floccosa* key 102, 106, map 108; **goiasensis** 102, key 103, map 105, **107**–109; *hecathantha* 104; *kuntzei* 110; *lacunosa* key 102, 106, 107, map 108; *latifolia* 113; *ligulaefolia* 104; *lorentzii* key 103, 113, 114, map 115; *macrocephala* key 103, map 112, 113; *mollissima* key 103, 111–115, maps 112 & 115, var. *microcephala* 111; *monocephala* key 103, 109, subsp. **irwinii** 102, key 109, **109**, map 112, subsp. *monocephala* key 109, 109, map 112; *robusta* 106; *rubricaulis* 251; *secunda* key 103, 104, map 105; *squamosa* 103; *urbaniana* 116; *venosissima* key 103, map 115, 116; *verbascifolia* 102; *warmingiana* key 102, 107, map 108; **wasshausenii** 102, key 103, map 108, **110**, 111
Victoria 230, 231, 238; *amazonica* 230, 242, 249
Virginia: *Trillium* 141–143; *Wetherellia, Palaeowetherellia* 300–333
Vitaceae 250
Vitex cymosa 251
Vochysia 230; *divergens* 234, 249; *haenkeana* 249
Vochysiaceae 249
WAGNER, WARREN H., JR. See Funk & Wagner 118–124
Waltheria: *paniculata* 250; *viscosissima* 250
Wedelia vauthieri 251
Weinmannia 438
West Virginia: *Trillium* 141–143
Wetherellia 300–333, fig. 303, map 324; *dixonii* 300, 301, 303–305, 307, fig. 308, 309, 314, 318, 322; **marylandica** 300, 301, 303–305, 307, fig. 310, **312**–321, 323, figs. 313, 315, 317, 319 & 321; *variabilis* 300–309, figs. 306 & 308, 318, 322, 328
WETTER, MARK ALLEN—book review of *Elsevier's Dictionary of Weeds of Western Europe*, by G. H. Williams 176
———.—book review of *Marine Botany*, by C. J. Dawes 271–272
———.—book review of *Plant Taxonomy and Biosystematics*, by Clive A. Stace 80
——— & JAMES W. GRIMES, Notes on the asters (Asteraceae) of Edward S. Burgess 273–281
Wilken, Dieter H., Harold D. Harrington (1903–1981), in memoriam 11
WILSON, F. DOUGLAS, A cytological basis for the separation of *Geropogon* from *Tragopogon* (Compositae: Lactuceae) 290–293
WINDLER, DONALD R. & STEVEN G. SKINNER, The Taxonomy and nomenclature of *Crotalaria foliosa* (Leguminosae) and related species 342–345
Wood anatomy of Daphniphyllaceae: ecological and phylogenetic considerations, review of Pittosporalean families, by Sherwin Carlquist 252–266
Woodsia 119
WULFF, ARTURO F. See Hunziker, Wulff & Soderstrom 30–35
Wyethia scabra 381
Wyoming: *Penstemon* 334–335
Xylocopus 338
Xylosma benthamii 243, 245, 250
Xyridaceae 248
Xyris savanensis 248
Yucca angustissima 381
Zaluzania 122
Zamia 185; *?maeleni* 355, 358
Zamiaceae 181–184, 185–188, 355–362
ZANONI, THOMAS A., Otto Kuntze, botanist. IV. Recent addition of specimens to the New York Botanical Garden Herbarium with other notes on Kuntze 299
Zanthoxylum 249; *cinereum* 249
Zingiberaceae 248
Zizia 365
Zizyphus: *corumbaensis* 250; *oblongifolius* 244, 245, 250
Zygophyllaceae 119, 249, 325, 328

Supplement to BRITTONIA, Vol. 34, No. 4, October–December, 1982

CONTENTS
of
Volume 34

[BRITTONIA for January–March 1982 (34: 1–128) was issued 25 March 1982]

A taxonomic investigation of *Leptotheca* (Rhizogoniaceae)
1 **Steven P. Churchill and William R. Buck**

A new phyllodial-leaved *Sagittaria* (Alismaceae) from Alabama
12 **Robert Kral**

A new red-bracted species of *Calathea* (Marantaceae) from Peru
18 **Helen Kennedy**

The identity and taxonomic affinity of *Calathea rotundifolia* and *C. fasciata* (Marantaceae)
22 **Helen Kennedy**

Cryptochloa dressleri (Poaceae), a new bambusoid grass from Panama
25 **Thomas R. Soderstrom**

Chromosome studies on the Bambusoideae (Gramineae)
30 **Juan H. Hunziker, Arturo F. Wulff and Thomas R. Soderstrom**

Three new species of *Pourouma* (Cecropiaceae) of the Guiana region
36 **C. C. Berg and F. Kooy**

A re-evaluation of *Phrygilanthus nudus* (Loranthaceae)
42 **Job Kuijt and Sylvia Feuer**

Revision of *Sedum* section *Gormania* (Crassulaceae)
48 **Melinda F. Denton**

Dragma Hippomanicum VIII. A new species of *Astragalus* section *Strigulosi* (Leguminosae) from Oaxaca
78 **Rupert C. Barneby**

Infrageneric nomenclature in *Acer* (Aceraceae)
81 **Thomas J. Delendick**

A new species of *Solanum* subgenus *Leptostemonum* (Solanaceae) from northeastern Mexico
85 **Michael Nee**

Chromosome numbers of *Orthocarpus* and related monotypic genera (Scrophulariaceae: subtribe Castillejinae)
89 **Tsan Iang Chuang and Lawrence R. Heckard**

A revision of *Vernonia* series *Buddleiifoliae* (Compositae: Vernonieae)
102 **Samuel B. Jones, Jr.**

A Bibliography of botanical cladistics: I. 1981
118 **Vicki A. Funk and Warren H. Wagner, Jr.**

News and Announcements
11, 17, 21, 24, 29, 117, 124

Book Reviews
41, 47, 80, 101, 125

Instructions to Contributors
126

[BRITTONIA for April–June 1982 (34: 129–272) was issued 12 July 1982]

Atlas of foliar surface features in woody plants, V. *Fraxinus* (Oleaceae) of eastern North America
129 **James W. Hardin and Robert L. Beckmann**
A new variety of *Trillium pusillum* (Liliaceae) from the Virginias
141 **Norlyn L. Bodkin and James L. Reveal**
Map of the floristic provinces of North America
144 **Arthur Cronquist**
Hybridization between *Andropogon glomeratus* var. *pumilus* and *A. longiberbis* (Gramineae) in central Florida
146 **Christopher S. Campbell**
A revision of the *Salvia dorrii* complex (Lamiaceae)
151 **Jeffrey L. Strachan**
New combinations in Chihuahuan Desert *Anisacanthus* (Acanthaceae)
170 **James Henrickson and Emily J. Lott**
On the recognition of *Anisacanthus junceus* (Acanthaceae)
177 **Thomas F. Daniel and James Henrickson**
A new species of *Ceratozamia* (Zamiaceae) from Chiapas, Mexico
181 **Dennis Wm. Stevenson**
The rediscovery of *Ceratozamia kuesteriana* (Zamiaceae) in Mexico
185 **Aldo Moretti, Sergio Sabato and Mario Vázquez Torres**
New species in *Begonia* section *Gireoudia* (Begoniaceae) from Central America
189 **Kathleen Burt-Utley**
New species of *Cryptochloa* and *Piresia* (Poaceae: Bambusoideae)
199 **Thomas R. Soderstrom**
Taxonomic considerations of *Piptocarpha* (Compositae: Vernonieae) and new taxa in Brazil
210 **Gerald L. Smith**
The development of the fruits and seeds of *Campomanesia* (Myrtaceae)
220 **Leslie R. Landrum**
Predation by a snake of a flower-visiting bat at *Parkia nitida* (Leguminosae: Mimosoideae)
225 **Helen C. Hopkins and Michael J. G. Hopkins**
Preliminary study of some vegetation types of the Pantanal, Mato Grosso, Brazil
228 **Ghillean T. Prance and George B. Schaller**
Wood anatomy of Daphniphyllaceae: Ecological and phylogenetic considerations, review of Pittosporalean families
252 **Sherwin Carlquist**
News and Announcements
143, 198
Book Reviews
140, 176, 188, 209, 218–219, 224, 267–272

[BRITTONIA for July–September 1982 (34: 273–364) was issued 8 September 1982]

Notes on the asters (Asteraceae) of Edward S. Burgess
273 **Mark Allen Wetter and James W. Grimes**
Two new species of *Verbesina* section *Ochractinia* (Asteraceae) from South America
282 **John Olsen**
Erigeron astranthioides (Asteraceae: Astereae), a new epappose species from western Mexico
285 **Diederik C. D. De Jong and Guy L. Nesom**

A cytological basis for the separation of *Geropogon* from *Tragopogon* (Compositae: Lactuceae)
290 **F. Douglas Wilson**

Type studies in the Lejeuneaceae. I. *Archilejeunea pabstii, Hygrolejeunea pacifica* and *Hygrolejeunea spongia*
294 **Barbara M. Thiers**

Otto Kuntze, botanist. IV. Recent addition of specimens to the New York Botanical Garden Herbarium with other notes on Kuntze
299 **Thomas A. Zanoni**

Fruits of *Wetherellia* and *Palaeowetherellia* (?Euphorbiaceae) from Eocene sediments in Virginia and Maryland
300 **Susan J. Mazer and Bruce H. Tiffney**

A new species of *Penstemon* (Scrophulariaceae) from Wyoming
334 **Robert D. Dorn**

A new species of *Ipomoea* (Convolvulaceae) from southwestern Mexico
336 **Andrew McDonald**

New combinations and one new variety among the genera *Indigofera, Robinia,* and *Tephrosia* (Leguminosae)
339 **Duane Isely**

The taxonomy and nomenclature of *Crotalaria foliosa* (Leguminosae) and related species
342 **Donald R. Windler and Steven G. Skinner**

Three new species of *Parkia* (Leguminosae: Mimosoideae) from tropical South America
346 **Helen C. Hopkins**

In Memoriam: Dárdano de Andrade-Lima (1919–1981)
351 **Ghillean T. Prance and Scott A. Mori**

Distribution and variation of *Dion edule* (Zamiaceae)
355 **Paolo De Luca, Sergio Sabato and Mario Vázquez Torres**

News and Announcements
289, 335, 350

Book Reviews
363–364

[BRITTONIA for October–December 1982 (34: 365–500) was issued 17 December 1982]

Reduction of *Pseudotaenidia* to *Taenidia* (Apiaceae)
365 **Arthur Cronquist**

The Herbarium of Wesleyan University, Middletown, Connecticut
368 **James W. Grimes and Sue Keller**

A new variety of *Cardamine angustata* (Cruciferae) from the Ouachita Mountains of Arkansas
376 **Edwin B. Smith**

A new species of *Penstemon* (Scrophulariaceae) from southwestern Utah
381 **Noel H. Holmgren and Leila M. Shultz**

Chromosome numbers and taxonomic notes for Mexican *Coreopsis,* sections *Electra* and *Pseudoagarista* (Compositae: Heliantheae)
384 **Daniel J. Crawford**

The genus *Anemia* (Schizaeaceae) in Mexico
388 **John T. Mickel**

Nematocladia tesserata genus et species novae (Myriniaceae)
414 **William R. Buck**

Odonellia, a new genus of Convolvulaceae from tropical America
417 **Kenneth R. Robertson**

New species and combinations in *Odontonema* (Acanthaceae)
424 **Vicki M. Baum**

Four new species of Musci from the Andes of Ecuador and Colombia
435 **William Campbell Steere**

Three new species of *Erythroxylum* (Erythroxylaceae) from Venezuela
442 **Timothy Plowman**

Three new species of *Thrasya* (Gramineae) from Brazil
458 **Alasdair G. Burman**

Palm taxonomy in Brazilian Amazônia: The state of systematic collections in regional herbaria
463 **Michael J. Balick, Anthony B. Anderson, and Marlene Freitas da Silva**

Tovarochloa (Poaceae: Pooideae), a new genus from the high Andes of Peru
478 **Terry D. Macfarlane and Paul P.-H. But**

Book Reviews
413, 477, 482–484

Announcements
380, 416, 434, 484

Volume Index
485

Statement of ownership
Inside back cover